

## 6 疾患別死亡の状況

# 1) 疾患別死亡数・死亡率【七尾市】

資料：衛生統計年報

## 死亡数(総数)

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	785	837	863	804	824	786	787	792	863	835
結核	1	1	0	1	1	3	0	0	1	1
悪性新生物	201	232	239	208	228	205	207	214	218	214
胃	40	32	39	39	24	27	34	16	30	30
結腸	12	17	17	20	22	19	19	18	29	25
直腸S状結腸移行部	9	12	13	6	14	12	8	9	8	6
肝及び肝内胆管	19	19	13	10	18	14	9	11	14	8
気管、気管支及び肺	25	37	50	44	48	46	40	48	42	51
乳	2	9	3	5	7	6	12	9	11	12
子宮	6	4	6	1	9	2	2	4	3	3
前立腺	5	8	4	6	5	6	3	4	6	7
糖尿病	8	5	8	8	5	14	7	14	10	13
高血圧性疾患	4	7	6	4	14	9	10	9	7	11
心疾患(高血圧性除く)	141	122	145	117	133	135	118	116	133	131
急性心筋梗塞	25	20	24	13	14	20	17	21	25	17
その他虚血性心疾患	14	14	13	11	13	16	13	15	23	12
脳血管疾患	95	99	93	88	71	80	73	76	86	72
くも膜下出血	10	11	13	4	9	14	10	12	14	11
脳内出血	20	26	20	24	17	18	13	14	24	16
脳梗塞	63	60	59	59	44	48	49	49	45	44
肺炎	72	83	79	66	49	27	33	32	29	30
肝疾患	6	7	5	7	5	3	9	7	15	10
腎不全	14	14	14	16	12	10	17	14	12	13
老衰	67	55	62	75	79	64	75	76	68	91
不慮の事故	22	41	40	32	23	35	32	16	26	25
交通事故	5	7	5	1	0	3	2	2	3	3
自殺	8	9	13	9	9	13	9	6	4	3

## 死亡率(総数)人口10万対

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	1424.1	1542.0	1571.8	1486.7	1551.5	1503.6	1532.1	1596.2	1770.2	1751.7
結核	1.8	1.8	0.0	1.8	1.9	5.7	0.0	0.0	2.1	2.1
悪性新生物	364.6	427.4	435.3	384.6	429.3	392.1	403.0	431.3	447.2	448.9
胃	72.6	59.0	71.0	72.1	45.2	51.6	66.2	32.2	61.5	62.9
結腸	21.8	31.3	31.0	37.0	41.4	36.3	37.0	36.3	59.5	52.4
直腸S状結腸移行部	16.3	22.1	23.7	11.1	26.4	23.0	15.6	18.1	16.4	12.6
肝及び肝内胆管	34.5	35.0	23.7	18.5	33.9	26.8	17.5	22.2	28.7	16.8
気管、気管支及び肺	45.4	68.2	91.1	81.4	90.4	88.0	77.9	96.7	86.2	107.0
乳	3.6	16.6	5.5	9.2	13.2	11.5	23.4	18.1	22.6	25.2
子宮	10.9	7.4	10.9	1.8	16.9	3.8	3.9	8.1	6.2	6.3
前立腺	9.1	14.7	7.3	11.1	9.4	11.5	5.8	8.1	12.3	14.7
糖尿病	14.5	9.2	14.6	14.8	9.4	26.8	13.6	28.2	20.5	27.3
高血圧性疾患	7.3	12.9	10.9	7.4	26.4	17.2	19.5	18.1	14.4	23.1
心疾患(高血圧性除く)	255.8	224.8	264.1	216.4	250.4	258.2	229.7	233.8	272.8	274.8
急性心筋梗塞	45.4	36.8	43.7	24.0	26.4	38.3	33.1	42.3	51.3	35.7
その他虚血性心疾患	25.4	25.8	23.7	20.3	24.5	30.6	25.3	30.2	47.2	25.2
脳血管疾患	172.3	182.4	169.4	162.7	133.7	153.0	142.1	153.2	176.4	151.0
くも膜下出血	18.1	20.3	23.7	7.4	16.9	26.8	19.5	24.2	28.7	23.1
脳内出血	36.3	47.9	36.4	44.4	32.0	34.4	25.3	28.2	49.2	33.6
脳梗塞	114.3	110.5	107.5	109.1	82.8	91.8	95.4	98.8	92.3	92.3
肺炎	130.6	152.9	143.9	122.0	92.3	51.6	64.2	64.5	59.5	62.9
肝疾患	10.9	12.9	9.1	12.9	9.4	5.7	17.5	14.1	30.8	21.0
腎不全	25.4	25.8	25.5	29.6	22.6	19.1	33.1	28.2	24.6	27.3
老衰	121.5	101.3	112.9	138.7	148.7	122.4	146.0	153.2	139.5	190.9
不慮の事故	39.9	75.5	72.9	59.2	43.3	67.0	62.3	32.2	53.3	52.4
交通事故	9.1	12.9	9.1	1.8	0.0	5.7	3.9	4.0	6.2	6.3
自殺	14.5	16.6	23.7	16.6	16.9	24.9	17.5	12.1	8.2	6.3

# 1) 疾患別死亡数・死亡率【七尾市】

資料：衛生統計年報

## 死亡数(男)

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	366	398	414	429	378	369	372	393	399	392
結核	1	1	0	0	0	1	0	0	0	0
悪性新生物	110	123	129	136	128	112	116	134	119	123
胃	25	20	22	26	15	17	23	13	18	16
結腸	6	4	6	11	9	8	10	10	10	15
直腸S状結腸移行部	3	5	10	4	9	3	4	9	3	5
肝及び肝内胆管	9	12	9	7	13	8	4	7	10	5
気管、気管支及び肺	18	22	38	34	32	36	31	32	29	35
乳	0	0	0	0	0	0	0	0	0	0
子宮										
前立腺	5	8	4	6	5	6	3	4	6	7
糖尿病	4	3	6	6	0	8	4	10	3	5
高血圧性疾患	1	4	1	1	4	2	3	1	3	4
心疾患(高血圧性除く)	66	48	59	53	48	62	59	55	59	53
急性心筋梗塞	11	13	14	8	6	12	8	15	15	9
その他虚血性心疾患	6	4	7	5	5	10	7	6	15	7
脳血管疾患	39	43	35	51	37	29	34	29	42	27
くも膜下出血	4	3	5	1	3	6	5	5	8	3
脳内出血	10	14	9	18	10	6	9	5	12	7
脳梗塞	24	24	20	31	23	17	19	19	20	16
肺炎	41	42	46	40	25	15	15	24	14	19
肝疾患	2	5	3	2	2	1	6	6	6	7
腎不全	6	5	8	9	3	5	5	6	5	7
老衰	11	12	14	20	21	16	19	15	15	23
不慮の事故	12	23	23	22	14	22	13	10	13	14
交通事故	3	4	4	1	0	0	1	2	1	1
自殺	6	7	11	6	9	9	6	6	4	2

## 死亡率(男)人口10万対

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	1405.7	1551.1	1583.5	1676.3	1502.9	1487.4	1524.8	1653.3	1715.6	1719.7
結核	3.8	3.9	0.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0
悪性新生物	422.5	479.4	493.4	531.4	508.9	451.5	475.5	563.7	511.7	539.6
胃	96.0	77.9	84.1	101.6	59.6	68.5	94.3	54.7	77.4	70.2
結腸	23.0	15.6	22.9	43.0	35.8	32.2	41.0	42.1	43.0	65.8
直腸S状結腸移行部	11.5	19.5	38.2	15.6	35.8	12.1	16.4	37.9	12.9	21.9
肝及び肝内胆管	34.6	46.8	34.4	27.4	51.7	32.2	16.4	29.4	43.0	21.9
気管、気管支及び肺	69.1	85.7	145.3	132.9	127.2	145.1	127.1	134.6	124.7	153.5
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮										
前立腺	19.2	31.2	15.3	23.4	19.9	24.2	12.3	16.8	25.8	30.7
糖尿病	15.4	11.7	22.9	23.4	0.0	32.2	16.4	42.1	12.9	21.9
高血圧性疾患	3.8	15.6	3.8	3.9	15.9	8.1	12.3	4.2	12.9	17.5
心疾患(高血圧性除く)	253.5	187.1	225.7	207.1	190.8	249.9	241.8	231.4	253.7	232.5
急性心筋梗塞	42.2	50.7	53.5	31.3	23.9	48.4	32.8	63.1	64.5	39.5
その他虚血性心疾患	23.0	15.6	26.8	19.5	19.9	40.3	28.7	25.2	64.5	30.7
脳血管疾患	149.8	167.6	133.9	199.3	147.1	116.9	139.4	122.0	180.6	118.4
くも膜下出血	15.4	11.7	19.1	3.9	11.9	24.2	20.5	21.0	34.4	13.2
脳内出血	38.4	54.6	34.4	70.3	39.8	24.2	36.9	21.0	51.6	30.7
脳梗塞	92.2	93.5	76.5	121.1	91.4	68.5	77.9	79.9	86.0	70.2
肺炎	157.5	163.7	175.9	156.3	99.4	60.5	61.5	101.0	60.2	83.4
肝疾患	7.7	19.5	11.5	7.8	8.0	4.0	24.6	25.2	25.8	30.7
腎不全	23.0	19.5	30.6	35.2	11.9	20.2	20.5	25.2	21.5	30.7
老衰	42.2	46.8	53.5	78.1	83.5	64.5	77.9	63.1	64.5	100.9
不慮の事故	46.1	89.6	88.0	86.0	55.7	88.7	53.3	42.1	55.9	61.4
交通事故	11.5	15.6	15.3	3.9	0.0	0.0	4.1	8.4	4.3	4.4
自殺	23.0	27.3	42.1	23.4	35.8	36.3	24.6	25.2	17.2	8.8

# 1) 疾患別死亡数・死亡率【七尾市】

資料：衛生統計年報

## 死亡数(女)

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	419	439	449	375	446	417	415	399	464	443
結核	0	0	0	1	1	2	0	0	1	1
悪性新生物	91	109	110	72	100	93	91	80	99	91
胃	15	12	17	13	9	10	11	3	12	14
結腸	6	13	11	9	13	11	9	8	19	10
直腸S状結腸移行部	6	7	3	2	5	9	4	0	5	1
肝及び肝内胆管	10	7	4	3	5	6	5	4	4	3
気管、気管支及び肺	7	15	12	10	16	10	9	16	13	16
乳	2	9	3	5	7	6	12	9	11	12
子宮	6	4	6	1	9	2	2	4	3	3
前立腺										
糖尿病	4	2	2	2	5	6	3	4	7	8
高血圧性疾患	3	3	5	3	10	7	7	8	4	7
心疾患(高血圧性除く)	75	74	86	64	85	73	59	61	74	78
急性心筋梗塞	14	7	10	5	8	8	9	6	10	8
その他虚血性心疾患	8	10	6	6	8	6	6	9	8	5
脳血管疾患	56	56	58	37	34	51	39	47	44	45
くも膜下出血	6	8	8	3	6	8	5	7	6	8
脳内出血	10	12	11	6	7	12	4	9	12	9
脳梗塞	39	36	39	28	21	31	30	30	25	28
肺炎	31	41	33	26	24	12	18	8	15	11
肝疾患	4	2	2	5	3	2	3	1	9	3
腎不全	8	9	6	7	9	5	12	8	7	6
老衰	56	43	48	55	58	48	56	61	53	68
不慮の事故	10	18	17	10	9	13	19	6	13	11
交通事故	2	3	1	0	0	3	1	0	2	2
自殺	2	2	2	3	0	4	3	0	0	1

## 死亡率(女)人口10万対

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	1440.5	1533.8	1561.2	1316.4	1595.1	1518.1	1538.7	1543.6	1820.0	1781.1
結核	0.0	0.0	0.0	3.5	3.6	7.3	0.0	0.0	3.9	4.0
悪性新生物	312.9	380.8	382.5	252.7	357.7	338.6	337.4	309.5	388.3	365.9
胃	51.6	41.9	59.1	45.6	32.2	36.4	40.8	11.6	47.1	56.3
結腸	20.6	45.4	38.2	31.6	46.5	40.0	33.4	31.0	74.5	40.2
直腸S状結腸移行部	20.6	24.5	10.4	7.0	17.9	32.8	14.8	0.0	19.6	4.0
肝及び肝内胆管	34.4	24.5	13.9	10.5	17.9	21.8	18.5	15.5	15.7	12.1
気管、気管支及び肺	24.1	52.4	41.7	35.1	57.2	36.4	33.4	61.9	51.0	64.3
乳	6.9	31.4	10.4	17.6	25.0	21.8	44.5	34.8	43.1	48.2
子宮	20.6	14.0	20.9	3.5	32.2	7.3	7.4	15.5	11.8	12.1
前立腺										
糖尿病	13.8	7.0	7.0	7.0	17.9	21.8	11.1	15.5	27.1	32.2
高血圧性疾患	10.3	10.5	17.4	10.5	35.8	25.5	26.0	31.0	15.7	28.1
心疾患(高血圧性除く)	257.8	258.6	299.0	224.7	304.0	265.8	218.8	236.0	290.3	313.6
急性心筋梗塞	48.1	24.5	34.8	17.6	28.6	29.1	33.4	23.2	39.2	32.2
その他虚血性心疾患	27.5	34.9	20.9	21.1	28.6	21.8	22.2	34.8	31.4	20.1
脳血管疾患	192.5	195.7	201.7	129.9	121.6	185.7	144.6	181.8	172.6	180.9
くも膜下出血	20.6	28.0	27.8	10.5	21.5	29.1	18.5	27.1	23.5	32.2
脳内出血	34.4	41.9	38.2	21.1	25.0	43.7	14.8	34.8	47.1	36.2
脳梗塞	134.1	125.8	135.6	98.3	75.1	112.9	111.2	116.1	98.1	112.6
肺炎	106.6	143.3	114.7	91.3	85.8	43.7	66.7	31.0	58.8	44.2
肝疾患	13.8	7.0	7.0	17.6	10.7	7.3	11.1	3.9	35.3	12.1
腎不全	27.5	31.4	20.9	24.6	32.2	18.2	44.5	31.0	27.5	24.1
老衰	192.5	150.2	166.9	193.1	207.4	174.7	207.6	236.0	207.9	273.4
不慮の事故	34.4	62.9	59.1	35.1	32.2	47.3	70.4	23.2	51.0	44.2
交通事故	6.9	10.5	3.5	0.0	0.0	10.9	3.7	0.0	7.8	8.0
自殺	6.9	7.0	7.0	10.5	0.0	14.6	11.1	0.0	0.0	4.0

# 1) 疾患別死亡数・死亡率【石川県】

資料：衛生統計年報

## 死亡数(総数)

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	12,223	12,190	12,280	12,422	12,727	12,723	12,900	12,721	13,214	14,316
結核	15	11	14	14	13	15	8	15	16	18
悪性新生物	3,416	3,535	3,483	3,517	3,577	3,530	3,525	3,625	3,509	3,587
胃	519	480	487	452	436	461	435	416	402	417
結腸	275	275	275	275	275	275	275	358	361	377
直腸S状結腸移行部	110	110	110	110	110	110	110	143	128	149
肝及び肝内胆管	267	264	257	274	224	190	197	215	202	192
気管、気管支及び肺	696	698	719	706	721	709	707	729	703	740
乳	120	120	120	120	120	120	120	119	137	146
子宮	50	50	50	50	50	50	50	55	52	50
前立腺	75	75	75	75	75	75	75	89	104	89
糖尿病	121	113	104	112	111	134	126	125	142	156
高血圧性疾患	47	64	45	60	89	93	98	86	95	118
心疾患(高血圧性除く)	1,934	1,855	1,885	1,891	1,994	2,039	1,995	1,894	1,968	2,099
急性心筋梗塞	435	435	435	435	435	435	435	321	370	481
その他虚血性心疾患	244	244	244	244	244	244	244	223	257	220
脳血管疾患	1,296	1,190	1,132	1,139	1,108	1,135	1,046	1,013	1,117	1,081
くも膜下出血	155	155	155	155	155	155	155	88	118	105
脳内出血	275	275	275	275	275	275	275	268	337	294
脳梗塞	746	746	746	746	746	746	746	638	642	660
肺炎	1,251	1,172	1,233	1,112	929	772	837	691	655	660
肝疾患	132	114	138	121	161	139	138	134	155	131
腎不全	191	187	205	204	218	243	234	215	222	227
老衰	742	721	801	890	963	1,049	1,056	1,130	1,253	1,654
不慮の事故	405	452	436	449	404	410	381	369	389	389
交通事故	77	71	62	70	44	38	37	43	33	38
自殺	204	180	209	177	189	146	160	168	152	185

## 死亡率(総数)人口10万対

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	1064.2	1064.8	1072.8	1091.0	1122.5	1128.2	1151.1	1138.5	1189.7	1300.0
結核	1.3	1.0	1.2	1.2	1.1	1.3	0.7	1.3	1.4	1.6
悪性新生物	297.4	308.8	304.3	308.9	315.5	313.0	314.5	324.4	315.9	325.7
胃	45.2	41.9	42.5	39.7	38.5	40.9	38.8	37.2	36.2	37.9
結腸	23.9	24.0	24.0	24.2	24.3	24.4	24.5	32.0	32.5	34.2
直腸S状結腸移行部	9.6	9.6	9.6	9.7	9.7	9.8	9.8	12.8	11.5	13.5
肝及び肝内胆管	23.2	23.1	22.5	24.1	19.8	16.8	17.6	19.2	18.2	17.4
気管、気管支及び肺	60.6	61.0	62.8	62.0	63.6	62.9	63.1	65.2	63.3	67.2
乳	10.4	10.5	10.5	10.5	10.6	10.6	10.7	10.7	12.3	13.3
子宮	4.4	4.4	4.4	4.4	4.4	4.4	4.5	4.9	4.7	4.5
前立腺	6.5	6.6	6.6	6.6	6.6	6.7	6.7	8.0	9.4	8.1
糖尿病	10.5	9.9	9.1	9.8	9.8	11.9	11.2	11.2	12.8	14.2
高血圧性疾患	4.1	5.6	3.9	5.3	7.8	8.2	8.7	7.7	8.6	10.7
心疾患(高血圧性除く)	168.4	162.0	164.7	166.1	175.9	180.8	178.0	169.5	177.2	190.6
急性心筋梗塞	37.9	38.0	38.0	38.2	38.4	38.6	38.8	28.7	33.3	43.7
その他虚血性心疾患	21.2	21.3	21.3	21.4	21.5	21.6	21.8	20.0	23.1	20.0
脳血管疾患	112.8	103.9	98.9	100.0	97.7	100.6	93.3	90.7	100.6	98.2
くも膜下出血	13.5	13.5	13.5	13.6	13.7	13.7	13.8	7.9	10.6	9.5
脳内出血	23.9	24.0	24.0	24.2	24.3	24.4	24.5	24.0	30.3	26.7
脳梗塞	64.9	65.2	65.2	65.5	65.8	66.1	66.6	57.1	57.8	59.9
肺炎	108.9	102.4	107.7	97.7	81.9	68.5	74.7	61.8	59.0	59.9
肝疾患	11.5	10.0	12.1	10.6	14.2	12.3	12.3	12.0	14.0	11.9
腎不全	16.6	16.3	17.9	17.9	19.2	21.5	20.9	19.2	20.0	20.6
老衰	64.6	63.0	70.0	78.2	84.9	93.0	94.2	101.1	112.8	150.2
不慮の事故	35.3	39.5	38.1	39.4	35.6	36.4	34.0	33.0	35.0	35.3
交通事故	6.7	6.2	5.4	6.1	3.9	3.4	3.3	3.8	3.0	3.5
自殺	17.8	15.7	18.3	15.5	16.7	12.9	14.3	15.0	13.7	16.8

# 1) 疾患別死亡数・死亡率【石川県】

資料：衛生統計年報

## 死亡数(男)

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	6,104	6,138	6,047	6,202	6,317	6,256	6,358	6,385	6,498	7,046
結核	8	7	9	9	6	5	6	8	9	11
悪性新生物	1,958	2,045	1,996	2,076	2,001	1,994	1,989	2,100	1,984	2,001
胃	327	306	296	290	251	287	282	275	251	255
結腸	145	146	131	150	173	139	147	184	156	183
直腸S状結腸移行部	83	72	74	96	90	100	82	84	79	94
肝及び肝内胆管	161	167	165	163	141	124	125	139	125	121
気管、気管支及び肺	496	511	521	520	518	490	517	507	496	516
乳	0	1	0	2	2	1	2	2	1	1
子宮										
前立腺	88	85	82	86	93	105	88	89	104	89
糖尿病	61	48	58	62	63	81	63	69	75	83
高血圧性疾患	14	25	18	20	32	39	38	32	27	46
心疾患(高血圧性除く)	879	798	801	820	884	878	888	856	887	960
急性心筋梗塞	217	191	199	215	171	189	183	195	213	286
その他虚血性心疾患	123	129	122	101	123	148	119	120	144	116
脳血管疾患	575	541	498	551	493	545	491	472	512	519
くも膜下出血	54	46	33	43	48	47	50	36	48	37
脳内出血	161	154	145	148	139	163	156	137	177	154
脳梗塞	346	327	312	346	291	327	278	294	277	314
肺炎	696	647	667	613	526	428	479	405	375	394
肝疾患	83	71	80	75	101	80	90	81	86	78
腎不全	82	87	74	106	95	117	104	118	101	113
老衰	161	170	169	178	250	248	255	266	315	420
不慮の事故	237	261	257	260	236	230	226	213	223	234
交通事故	53	44	40	41	26	22	23	38	25	26
自殺	145	133	157	127	136	97	114	124	100	126

## 死亡率(男)人口10万対

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	1098.4	1107.4	1091.2	1125.2	1149.9	1143.9	1168.7	1178.7	1205.3	1318.1
結核	1.4	1.3	1.6	1.6	1.1	0.9	1.1	1.5	1.7	2.1
悪性新生物	352.4	368.9	360.2	376.6	364.3	364.6	365.6	387.7	368.0	374.3
胃	58.8	55.2	53.4	52.6	45.7	52.5	51.8	50.8	46.6	47.7
結腸	26.1	26.3	23.6	27.2	31.5	25.4	27.0	34.0	28.9	34.2
直腸S状結腸移行部	14.9	13.0	13.4	17.4	16.4	18.3	15.1	15.5	14.7	17.6
肝及び肝内胆管	29.0	30.1	29.8	29.6	25.7	22.7	23.0	25.7	23.2	22.6
気管、気管支及び肺	89.3	92.2	94.0	94.3	94.3	89.6	95.0	93.6	92.0	96.5
乳	0.0	0.2	0.0	0.4	0.4	0.2	0.4	0.4	0.2	0.2
子宮										
前立腺	15.8	15.3	14.8	15.6	16.9	19.2	16.2	16.4	19.3	16.6
糖尿病	11.0	8.7	10.5	11.2	11.5	14.8	11.6	12.7	13.9	15.5
高血圧性疾患	2.5	4.5	3.2	3.6	5.8	7.1	7.0	5.9	5.0	8.6
心疾患(高血圧性除く)	158.2	144.0	144.5	148.8	160.9	160.5	163.2	158.0	164.5	179.6
急性心筋梗塞	39.1	34.5	35.9	39.0	31.1	34.6	33.6	36.0	39.5	53.5
その他虚血性心疾患	22.1	23.3	22.0	18.3	22.4	27.1	21.9	22.2	26.7	21.7
脳血管疾患	103.5	97.6	89.9	100.0	89.7	99.7	90.2	87.1	95.0	97.1
くも膜下出血	9.7	8.3	6.0	7.8	8.7	8.6	9.2	6.6	8.9	6.9
脳内出血	29.0	27.8	26.2	26.9	25.3	29.8	28.7	25.3	32.8	28.8
脳梗塞	62.3	59.0	56.3	62.8	53.0	59.8	51.1	54.3	51.4	58.7
肺炎	125.2	116.7	120.4	111.2	95.8	78.3	88.0	74.8	69.6	73.7
肝疾患	14.9	12.8	14.4	13.6	18.4	14.6	16.5	15.0	16.0	14.6
腎不全	14.8	15.7	13.4	19.2	17.3	21.4	19.1	21.8	18.7	21.1
老衰	29.0	30.7	30.5	32.3	45.5	45.3	46.9	49.1	58.4	78.6
不慮の事故	42.6	47.1	46.4	47.2	43.0	42.1	41.5	39.3	41.4	43.8
交通事故	9.5	7.9	7.2	7.4	4.7	4.0	4.2	7.0	4.6	4.9
自殺	26.1	24.0	28.3	23.0	24.8	17.7	21.0	22.9	18.5	23.6

1) 疾患別死亡数・死亡率【石川県】

資料：衛生統計年報

死亡数(女)

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	6,119	6,052	6,233	6,220	6,410	6,467	6,542	6,336	6,716	7,270
結核	7	4	5	5	7	10	2	7	7	7
悪性新生物	1,458	1,490	1,487	1,441	1,576	1,536	1,536	1,525	1,525	1,586
胃	192	174	191	162	185	174	153	141	151	162
結腸	160	160	180	187	174	178	179	174	205	194
直腸S状結腸移行部	58	58	41	39	40	57	61	59	49	55
肝及び肝内胆管	106	97	92	111	83	66	72	76	77	71
気管、気管支及び肺	200	187	198	186	203	219	190	222	207	224
乳	110	121	126	122	132	146	133	117	136	145
子宮	54	57	62	54	57	63	45	55	52	50
前立腺	/	/	/	/	/	/	/	/	/	/
糖尿病	60	65	46	50	48	53	63	56	67	73
高血圧性疾患	33	39	27	40	57	54	60	54	68	72
心疾患(高血圧性除く)	1,055	1,057	1,084	1,071	1,110	1,161	1,107	1,038	1,081	1,139
急性心筋梗塞	187	188	161	146	160	157	156	126	157	195
その他虚血性心疾患	112	98	125	124	106	111	98	103	113	104
脳血管疾患	721	649	634	588	615	590	555	541	605	562
くも膜下出血	75	62	79	80	88	90	62	52	70	68
脳内出血	148	126	136	138	135	137	115	131	160	140
脳梗塞	485	450	409	358	372	354	373	344	365	346
肺炎	555	525	566	499	403	344	358	286	280	266
肝疾患	49	43	58	46	60	59	48	53	69	53
腎不全	109	100	131	98	123	126	130	97	121	114
老衰	581	551	632	712	713	801	801	864	938	1,234
不慮の事故	168	191	179	189	168	180	155	156	166	155
交通事故	24	27	22	29	18	16	14	5	8	12
自殺	59	47	52	50	53	49	46	44	52	59

死亡率(女)人口10万対

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	1032.0	1024.9	1055.6	1059.0	1096.6	1113.3	1134.5	1100.7	1174.9	1282.9
結核	1.2	0.7	0.8	0.9	1.2	1.7	0.3	1.2	1.2	1.2
悪性新生物	245.9	252.3	251.8	245.3	269.6	264.4	266.4	264.9	266.8	279.9
胃	32.4	29.5	32.3	27.6	31.7	30.0	26.5	24.5	26.4	28.6
結腸	27.0	27.1	30.5	31.8	29.8	30.6	31.0	30.2	35.9	34.2
直腸S状結腸移行部	9.8	9.8	6.9	6.6	6.8	9.8	10.6	10.2	8.6	9.7
肝及び肝内胆管	17.9	16.4	15.6	18.9	14.2	11.4	12.5	13.2	13.5	12.5
気管、気管支及び肺	33.7	31.7	33.5	31.7	34.7	37.7	32.9	38.6	36.2	39.5
乳	18.6	20.5	21.3	20.8	22.6	25.1	23.1	20.3	23.8	25.6
子宮	9.1	9.7	10.5	9.2	9.8	10.8	7.8	9.6	9.1	8.8
前立腺	/	/	/	/	/	/	/	/	/	/
糖尿病	10.1	11.0	7.8	8.5	8.2	9.1	10.9	9.7	11.7	12.9
高血圧性疾患	5.6	6.6	4.6	6.8	9.8	9.3	10.4	9.4	11.9	12.7
心疾患(高血圧性除く)	177.9	179.0	183.6	182.3	189.9	199.9	192.0	180.3	189.1	201.0
急性心筋梗塞	31.5	31.8	27.3	24.9	27.4	27.0	27.1	21.9	27.5	34.4
その他虚血性心疾患	18.9	16.6	21.2	21.1	18.1	19.1	17.0	17.9	19.8	18.4
脳血管疾患	121.6	109.9	107.4	100.1	105.2	101.6	96.2	94.0	105.8	99.2
くも膜下出血	12.6	10.5	13.4	13.6	15.1	15.5	10.8	9.0	12.2	12.0
脳内出血	25.0	21.3	23.0	23.5	23.1	23.6	19.9	22.8	28.0	24.7
脳梗塞	81.8	76.2	69.3	61.0	63.6	60.9	64.7	59.8	63.9	61.1
肺炎	93.6	88.9	95.9	85.0	68.9	59.2	62.1	49.7	49.0	46.9
肝疾患	8.3	7.3	9.8	7.8	10.3	10.2	8.3	9.2	12.1	9.4
腎不全	18.4	16.9	22.2	16.7	21.0	21.7	22.5	16.9	21.2	20.1
老衰	98.0	93.3	107.0	121.2	122.0	137.9	138.9	150.1	164.1	217.8
不慮の事故	28.3	32.3	30.3	32.2	28.7	31.0	26.9	27.1	29.0	27.4
交通事故	4.0	4.6	3.7	4.9	3.1	2.8	2.4	0.9	1.4	2.1
自殺	10.0	8.0	8.8	8.5	9.1	8.4	8.0	7.6	9.1	10.4

## 死亡率の分母に用いた人口、日本人人口(推計)

総数

資料:衛生統計年報

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
七尾市	55,123	54,280	54,905	54,079	53,111	52,276	51,367	49,618	48,751	47,667
石川県	1,148,598	1,144,795	1,144,626	1,138,540	1,133,851	1,127,759	1,120,707	1,117,364	1,110,734	1,101,229

男

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
七尾市	26,036	25,659	26,145	25,592	25,151	24,808	24,397	23,770	23,257	22,795
石川県	555,694	554,278	554,168	551,207	549,335	546,891	544,045	541,717	539,121	534,547

女

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
七尾市	29,087	28,621	28,760	28,487	27,960	27,468	26,970	25,848	25,494	24,872
石川県	592,904	590,517	590,458	587,333	584,516	580,868	576,662	575,647	571,613	566,682



## 2) 年齢調整死亡率(単年)

### 【七尾市】(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	悪性新生物								糖尿病	高血圧性疾患	心疾患	急性心筋梗塞、その他の虚血性心疾患	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故		自殺
				胃	結腸	直腸S状結腸移行部及び直腸	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮													交通事故		
H25	356.3	0.2	113.4	24.7	/	/	9.7	/	12.9	/	3.7	1.4	55.8	/	39.0	/	23.8	/	/	4.7	4.8	15.4	15.4	7.2	6.8	
H26	397.3	0.4	143.3	19.4	/	/	9.9	/	20.8	/	2.7	2.9	50.4	18.1	41.8	10.1	25.4	3.8	0.2	5.7	4.3	11.7	20.5	7.9	15.2	
H27	411.6	-	146.5	20.1	/	/	8.4	/	31.1	/	8.0	1.6	56.2	19.0	36.2	5.2	25.1	0.6	0.6	5.5	4.1	13.4	24.3	4.2	24.8	
H28	354.9	0.4	114.8	22.2	/	/	4.0	/	23.4	/	4.0	0.7	44.2	9.6	37.9	2.5	26.3	1.9	0.8	4.7	5.5	15.6	17.5	0.2	17.4	
H29	399.8	0.2	153.4	12.9	13.4	6.2	9.6	10.0	33.6	6.6	2.1	3.4	55.2	12.2	27.5	5.6	16.6	5.5	0.2	4.6	3.3	17.4	11.3	-	22.0	
H30	348.2	0.5	118.9	14.3	7.5	5.7	6.7	9.5	32.6	5.3	6.4	2.6	53.4	14.4	29.7	4.4	8.9	4.1	0.2	2.5	3.9	12.3	17.2	0.8	19.0	
R1	348.3	-	117.1	16.0	8.1	7.8	4.7	9.3	18.6	11.8	2.7	1.7	48.1	11.2	28.2	3.1	8.8	2.8	-	9.1	8.4	14.3	18.2	1.0	16.5	
R2	1,003.5	-	305.4	21.2	25.9	13.3	14.4	33.9	66.7	11.5	20.2	8.6	143.9	45.5	95.1	13.4	36.2	2.4	1.4	11.7	16.5	75.0	23.0	3.6	13.5	
R3	1,056.4	0.8	292.1	41.7	38.2	10.4	17.1	23.0	55.2	16.0	10.9	8.3	158.1	61.6	105.7	18.6	33.0	11.3	-	22.3	13.5	66.5	38.0	4.6	9.4	
R4	1,000.0	1.3	285.9	41.8	33.1	8.8	11.1	24.8	67.7	16.5	16.7	11.6	152.7	37.0	84.6	16.5	34.6	5.2	-	13.4	13.7	87.3	29.9	4.7	3.3	

### 【石川県】(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	悪性新生物								糖尿病	高血圧性疾患	心疾患	急性心筋梗塞、その他の虚血性心疾患	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故		自殺
				胃	結腸	直腸S状結腸移行部及び直腸	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮													交通事故		
H25	358.1	0.4	120.4	17.1	/	/	9.6	/	23.8	/	3.6	1.1	50.8	/	33.9	/	26.8	/	/	6.0	4.5	11.3	16.7	4.5	15.0	
H26	357.0	0.2	124.2	15.4	/	/	9.1	/	23.9	/	3.2	1.6	47.0	17.7	30.9	5.3	25.7	3.6	0.5	5.2	4.3	10.9	17.4	3.6	13.7	
H27	351.7	0.3	121.1	15.5	/	/	9.1	/	24.9	/	3.3	1.0	46.1	17.2	28.4	4.8	26.4	3.0	0.4	6.3	4.1	12.0	15.7	3.5	16.2	
H28	345.9	0.3	120.0	14.8	/	/	9.0	/	22.8	/	3.2	1.0	44.3	15.8	28.8	4.4	23.3	3.4	0.5	5.2	4.4	12.3	16.9	4.2	14.0	
H29	341.0	0.2	116.7	12.7	10.3	4.6	7.3	12.5	23.1	6.4	3.7	1.9	45.1	15.4	27.6	4.7	17.2	4.2	0.5	6.8	4.7	12.8	13.2	2.6	14.9	
H30	325.6	0.2	112.6	13.3	9.5	5.2	5.9	10.9	22.5	7.0	3.7	2.1	45.9	16.0	27.3	4.3	14.4	3.5	0.3	5.2	5.3	13.6	12.9	1.7	10.7	
R1	325.5	0.1	108.9	12.3	9.1	4.5	6.3	11.4	20.6	6.2	3.2	2.1	42.8	14.9	24.7	4.2	15.4	2.5	0.2	6.0	5.3	13.5	12.1	1.8	13.4	
R2	937.4	1.0	281.5	32.3	27.1	11.4	16.6	32.1	56.1	9.6	9.6	6.2	135.4	41.1	73.5	13.8	49.4	9.6	0.9	10.9	15.7	73.2	27.9	3.7	14.8	
R3	957.1	1.0	272.5	31.1	27.6	10.1	15.4	28.4	54.4	11.2	10.3	6.7	138.0	46.7	80.1	13.5	45.3	10.3	0.5	12.8	15.4	77.0	29.7	2.8	13.9	
R4	1,011.5	1.1	271.8	31.4	28.3	11.5	13.9	26.7	56.6	11.9	11.9	8.1	144.9	52.0	76.0	14.7	44.2	10.0	0.5	10.7	15.6	100.0	29.0	3.2	16.8	

## 2)年齢調整死亡率(単年)

### 【七尾市】(男)

資料:衛生統計年報(人口10万対:直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通 事故	自殺
H25	473.3	0.7	157.9	35.5	/	/	11.8	/	24.9	/	6.4	1.6	75.4	/	47.9	/	40.5	/	/	4.6	6.6	9.0	21.8	9.5	11.0
H26	542.9	1.1	177.3	28.7	/	/	15.9	/	29.5	/	4.9	4.9	66.3	28.5	51.1	11.4	43.5	8.1	-	10.0	5.2	9.4	34.3	13.0	28.5
H27	538.6	-	182.2	29.7	/	/	15.0	/	52.0	/	8.6	0.7	76.3	31.9	39.4	4.8	45.4	1.3	0.0	7.4	7.0	10.8	31.4	7.6	42.3
H28	528.8	-	183.4	37.8	/	/	7.4	/	43.9	/	7.5	0.7	64.8	16.9	65.4	2.0	38.9	4.3	1.1	4.0	9.7	14.1	29.1	0.7	19.0
H29	518.5	-	188.9	19.6	15.6	10.8	15.8	15.9	49.2	-	-	3.4	69.1	17.1	37.4	4.6	24.3	8.5	-	4.6	2.8	15.9	20.0	-	44.3
H30	472.6	0.6	155.1	22.8	8.9	4.0	10.8	8.8	54.9	-	10.9	3.0	72.7	25.6	35.2	5.9	15.0	8.3	-	4.3	5.1	10.4	24.1	-	30.3
R1	430.4	-	143.5	25.6	10.9	7.1	6.5	8.8	37.5	-	4.1	1.8	65.5	14.5	44.0	4.2	13.2	6.8	-	11.2	7.0	12.8	13.1	1.7	20.8
R2	1,384.1	-	452.7	41.9	34.0	28.8	23.8	47.6	109.0	-	36.0	3.6	197.7	71.8	106.3	24.7	85.7	3.9	3.1	20.3	20.5	56.6	35.2	7.1	26.8
R3	1,393.7	-	401.1	61.2	35.2	10.9	33.4	39.5	96.8	-	9.8	11.1	205.1	100.3	146.1	17.0	47.5	31.3	-	19.7	18.2	55.6	48.9	3.7	19.0
R4	1,330.3	-	406.6	51.3	49.1	18.1	16.8	24.5	114.0	-	19.5	13.9	179.9	53.5	91.6	27.9	64.4	12.0	-	24.3	24.0	82.2	46.3	3.2	6.4

### 【石川県】(男)

資料:衛生統計年報(人口10万対:直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通 事故	自殺
H25	495.8	0.6	167.0	26.5	/	/	14.3	/	41.6	/	5.4	1.0	69.8	/	45.5	/	44.3	/	/	9.4	6.2	8.7	24.2	6.9	22.9
H26	495.9	0.4	171.7	24.5	/	/	14.1	/	42.2	/	3.8	2.0	61.7	26.3	41.7	6.9	42.5	8.0	0.5	7.7	6.1	9.1	24.9	5.2	22.3
H27	474.8	0.6	163.9	22.8	/	/	14.1	/	42.2	/	4.9	1.2	60.3	26.1	36.1	5.5	41.3	6.5	0.5	8.5	4.5	8.8	23.2	5.0	25.8
H28	473.7	0.5	168.1	23.7	/	/	13.8	/	39.9	/	5.0	1.1	58.9	24.6	40.4	6.1	36.5	6.8	0.6	7.9	6.7	8.6	25.0	6.3	20.4
H29	464.4	0.3	156.5	19.1	13.4	7.6	11.4	15.7	39.3	0.2	5.5	2.3	61.2	23.0	34.6	6.9	28.6	8.7	0.7	10.5	5.9	11.5	19.6	3.5	22.7
H30	440.9	0.2	149.0	20.6	11.1	7.9	9.2	13.2	36.5	0.1	6.3	2.9	60.7	24.8	37.6	6.3	23.9	7.3	0.5	7.5	7.7	10.9	18.9	2.5	14.8
R1	441.1	0.3	144.4	19.7	10.4	6.0	9.5	14.8	36.3	0.1	4.5	2.6	58.9	23.2	34.1	5.6	25.4	5.8	0.3	9.5	6.6	11.0	17.4	2.5	19.1
R2	1,316.3	1.7	410.9	53.9	37.1	15.5	27.4	37.8	98.4	0.3	13.5	6.5	183.2	63.3	97.3	19.4	88.4	22.1	1.7	15.6	24.6	64.2	42.6	6.9	23.1
R3	1,323.5	2.1	386.0	48.3	30.6	14.7	24.5	33.2	95.9	0.2	14.7	5.4	183.1	71.4	103.0	15.9	80.9	22.9	0.9	16.8	21.7	74.5	44.7	4.9	19.1
R4	1,403.5	2.6	380.0	48.1	34.2	17.8	22.7	31.7	97.6	0.2	16.0	9.2	193.6	76.8	102.9	20.1	82.8	23.0	0.2	15.2	23.2	94.8	46.7	4.8	23.6

## 2) 年齢調整死亡率(単年)

### 【七尾市】(女)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	悪性新生物								糖尿病	高血圧性疾患	心疾患 (高血圧性を除く)	急性心筋梗塞	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故		自殺
				胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮													交通事故		
H25	270.4	-	79.0	16.7	/	/	8.1	/	4.1	/	1.4	0.8	42.3	/	32.8	/	15.0	/	/	4.4	3.6	18.3	9.9	5.1	2.8	
H26	287.5	-	122.1	12.8	/	/	5.4	/	15.4	/	0.6	1.6	35.2	8.3	37.1	8.6	13.7	0.6	0.3	1.7	3.6	12.5	10.2	3.6	1.7	
H27	310.8	-	120.5	12.8	/	/	2.7	/	15.7	/	7.7	2.1	35.8	7.0	33.3	5.5	12.0	0.3	1.1	3.6	2.5	14.1	19.9	1.1	7.6	
H28	226.8	0.6	64.0	9.9	/	/	2.0	/	7.3	/	1.4	0.8	26.3	3.2	17.0	2.7	19.8	0.9	0.5	5.1	2.9	16.2	8.4	-	16.6	
H29	298.8	0.3	125.9	7.0	11.1	2.5	5.2	4.6	20.8	12.9	21.9	3.6	3.3	40.3	6.9	21.8	6.3	11.3	3.6	0.3	4.4	3.5	17.6	4.2	-	-
H30	246.5	0.5	90.7	7.6	6.3	7.1	2.7	9.8	14.4	10.2	4.6	2.3	1.7	38.3	5.8	24.3	2.9	4.6	1.4	0.2	0.5	3.3	13.2	13.3	1.2	7.6
R1	293.7	-	102.2	8.6	6.3	9.0	2.8	10.1	4.0	22.9	5.9	1.5	1.7	35.0	9.0	14.0	2.4	5.3	-	-	7.4	9.5	14.6	24.4	0.2	12.0
R2	717.1	-	191.2	6.3	19.3	-	7.4	21.3	36.1	19.2	12.3	9.1	9.9	103.5	25.9	87.4	5.7	12.2	2.6	-	4.6	12.8	80.7	11.1	-	-
R3	822.1	1.0	216.6	25.4	41.0	12.9	7.5	7.7	26.8	27.9	7.3	11.4	6.8	121.6	32.6	74.6	19.2	26.8	-	-	23.2	11.4	70.7	29.6	4.7	-
R4	775.7	2.4	204.4	36.0	18.1	2.3	6.9	24.1	34.7	28.9	6.2	14.5	10.2	129.4	26.7	81.5	8.8	18.6	-	-	3.3	9.8	89.6	21.5	6.1	1.0

### 【石川県】(女)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	悪性新生物								糖尿病	高血圧性疾患	心疾患 (高血圧性を除く)	急性心筋梗塞	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故		自殺
				胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮													交通事故		
H25	254.3	0.3	86.1	10.4	/	/	5.8	/	10.4	/	2.1	1.2	35.3	/	24.5	/	16.9	/	/	2.9	3.0	12.2	10.4	2.3	7.2	
H26	253.7	0.1	90.6	8.7	/	/	5.4	/	10.3	/	2.7	1.1	34.7	10.9	22.5	4.1	15.4	1.1	0.5	3.0	3.1	11.5	11.5	2.2	5.1	
H27	253.3	0.1	88.6	10.1	/	/	5.1	/	11.4	/	1.9	0.8	33.5	9.7	22.2	4.1	16.9	0.7	0.3	4.4	3.8	13.2	9.6	2.0	6.7	
H28	245.8	0.2	83.4	7.8	/	/	4.9	/	9.7	/	1.8	1.0	32.0	8.7	19.6	3.0	15.3	1.1	0.5	2.9	2.7	13.7	9.9	2.0	7.6	
H29	244.6	0.2	86.5	7.4	8.0	2.1	4.0	9.6	10.5	12.1	5.3	2.1	1.5	31.9	8.9	22.2	2.9	10.3	1.4	0.4	3.2	3.8	13.1	8.1	1.7	7.1
H30	236.2	0.2	86.1	7.6	8.1	3.0	3.2	8.9	12.0	13.3	5.9	1.6	1.3	33.0	8.7	19.3	2.9	8.2	1.1	0.2	3.2	3.4	14.7	8.1	1.0	6.7
R1	234.8	-	83.0	6.7	8.2	3.5	3.6	8.4	8.5	11.9	4.1	2.2	1.6	29.2	7.7	16.8	2.8	9.1	0.5	0.2	2.9	4.2	14.5	8.0	1.0	7.8
R2	690.7	0.6	196.2	17.6	20.9	7.8	9.3	27.0	28.4	16.8	8.2	6.3	5.2	104.0	24.7	57.1	10.4	29.4	3.6	0.5	7.4	10.2	74.7	17.3	0.7	7.5
R3	717.1	0.6	196.3	18.6	25.1	6.3	9.2	24.6	26.1	20.0	7.5	7.4	6.5	106.1	29.1	62.2	12.1	27.9	3.6	0.3	8.9	12.2	77.1	20.2	1.0	9.0
R4	758.9	0.8	199.2	19.8	23.5	7.0	7.8	22.4	28.1	21.3	7.5	8.0	6.6	112.6	33.2	58.1	10.8	25.2	2.2	0.7	7.2	11.8	100.4	18.1	1.8	10.4

### 3) 年齢階級別死亡数(選択死因)

資料: 能登中部保健福祉センター算出

【七尾市】(3年平均: 令和2年～令和4年)

(単位: 人)

死因	年齢	総数	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90歳～	不詳
総数		830.0	0.3	-	-	-	0.7	0.7	-	1.0	2.3	3.7	9.0	8.3	22.0	41.0	75.7	86.0	120.7	158.7	300.0	-
結核		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	-
悪性新生物		215.3	-	-	-	-	0.3	-	-	0.7	-	1.7	3.3	3.3	10.0	20.7	33.7	34.0	36.3	36.3	35.0	-
食道		3.7	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	1.0	1.0	0.3	-	0.3	-
胃		25.3	-	-	-	-	-	-	-	0.3	-	-	0.7	0.3	0.3	3.0	5.7	4.0	4.3	2.3	4.3	-
結腸		24.0	-	-	-	-	-	-	-	-	-	0.3	-	0.3	1.0	2.7	2.3	4.0	4.3	4.7	4.3	-
直腸S状結腸移行部及び直腸		7.7	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	2.0	1.3	0.3	1.7	0.7	1.0	-
肝及び肝内胆管		11.0	-	-	-	-	-	-	-	-	-	-	-	-	1.0	-	1.7	3.0	1.3	1.0	3.0	-
胆のう及びその他の胆道		14.3	-	-	-	-	-	-	-	-	-	-	0.3	-	-	1.0	1.0	2.0	5.0	2.7	2.3	-
膵		19.0	-	-	-	-	-	-	-	-	-	-	0.3	1.0	1.3	2.3	2.0	2.0	4.7	3.3	2.0	-
気管、気管支及び肺		47.0	-	-	-	-	-	-	-	-	-	-	0.7	0.3	1.7	4.7	9.0	8.3	7.0	8.7	6.7	-
乳房		10.7	-	-	-	-	-	-	-	-	-	0.7	0.7	-	0.7	0.7	0.3	0.7	2.0	2.7	2.3	-
子宮		2.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.0	0.7	-	-	-	-
白血病		5.0	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	0.7	1.0	0.3	2.0	0.3	-
糖尿病		12.3	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	1.3	0.7	1.0	1.7	2.3	4.3	-
高血圧性疾患		9.0	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	0.3	1.0	2.0	5.3	-
心疾患(高血圧性を除く)		126.7	0.3	-	-	-	-	-	-	0.7	0.3	1.3	1.0	2.0	4.7	9.3	13.3	15.7	26.3	51.7	-	-
急性心筋梗塞		21.0	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	-	1.3	3.3	3.3	3.0	4.0	5.0	-
その他の虚血性心疾患		16.7	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	1.3	2.7	2.3	2.7	2.0	5.0	-
不整脈及び伝導障害		27.3	-	-	-	-	-	-	-	-	0.7	-	0.7	-	1.7	1.3	1.3	4.0	4.7	5.3	7.7	-
心不全		50.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	1.7	2.7	4.3	12.3	28.7	-
脳血管疾患		78.0	-	-	-	-	-	-	-	-	-	-	1.7	1.3	1.7	3.3	6.7	7.7	10.7	14.7	30.3	-
くも膜下出血		15.7	-	-	-	-	-	-	-	-	-	-	0.7	0.3	1.0	1.0	1.7	2.3	2.7	3.7	2.3	-
脳内出血		18.0	-	-	-	-	-	-	-	-	-	-	0.7	1.0	0.7	1.7	3.0	2.0	2.3	2.7	4.0	-
脳梗塞		46.0	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	1.3	3.7	6.3	9.3	24.3	-
大動脈瘤及び解離		13.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.3	1.7	3.3	3.3	2.7	-
肺炎		30.3	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	3.0	1.7	3.7	9.0	11.7	-
慢性閉塞性肺疾患		5.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	1.7	0.3	0.7	1.3	-
喘息		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-
肝疾患		10.7	-	-	-	-	-	-	-	0.7	0.3	0.3	0.7	0.7	0.7	0.7	2.0	1.3	1.7	0.3	2.0	-
腎不全		13.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.7	3.7	5.7	-
老衰		78.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	6.0	14.3	57.3	-
不慮の事故		22.3	-	-	-	-	-	-	-	-	-	0.7	0.7	0.3	1.0	1.3	2.3	3.0	5.3	3.3	4.3	-
交通事故		2.7	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	0.7	-	-	1.0	0.3	-	-
自殺		4.3	-	-	-	-	0.3	0.7	-	0.3	0.3	-	-	-	0.7	0.3	0.7	0.3	-	0.3	0.3	-

資料: 能登中部保健福祉センター算出

### 3) 年齢階級別死亡数(選択死因)

資料: 能登中部保健福祉センター算出

【石川県】(3年平均: 令和2~令和4年)

(単位: 人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		13417.0	14.7	4.7	4.7	7.3	18.0	15.7	24.3	33.0	53.3	124.3	148.7	204.7	338.7	564.7	1244.0	1460.3	1960.3	2705.3	4490.3	-
結核		16.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	4.7	8.7	-
悪性新生物		3573.7	0.7	0.7	0.7	1.3	1.7	2.0	4.3	6.7	16.0	43.0	54.7	84.3	154.0	267.7	556.7	590.0	602.0	620.0	567.3	-
食道		91.3	-	-	-	-	-	-	-	-	-	0.7	0.7	3.7	4.3	10.3	16.3	18.0	16.0	12.7	8.7	-
胃		411.7	-	-	-	-	0.3	0.3	0.3	1.0	2.7	4.3	3.3	7.0	15.7	34.0	65.3	65.7	70.3	78.0	63.7	-
結腸		365.3	-	-	-	-	-	-	-	0.3	0.7	4.0	5.0	7.3	15.0	25.0	52.0	51.7	63.7	62.3	78.3	-
直腸S状結腸移行部及び直腸		140.0	-	-	-	-	-	-	-	0.3	1.3	1.3	2.0	6.0	7.0	13.0	28.7	20.7	23.0	19.0	17.7	-
肝及び肝内胆管		203.0	-	-	-	-	-	-	0.3	-	0.3	1.3	1.0	3.7	7.3	10.7	29.3	35.0	37.3	41.7	35.0	-
胆のう及びその他の胆道		186.0	-	-	-	-	-	-	-	-	-	0.7	1.7	2.0	5.3	9.0	19.3	31.7	34.7	43.7	38.0	-
膵		374.0	-	-	-	-	-	-	-	0.7	1.0	2.3	5.7	9.7	18.0	31.7	70.0	64.0	68.0	51.7	51.3	-
気管、気管支及び肺		724.0	-	-	-	-	-	-	-	1.3	1.3	5.0	6.0	12.0	26.7	59.7	132.3	141.7	115.3	121.3	101.3	-
乳房		134.0	-	-	-	-	-	-	0.7	0.7	2.7	6.3	9.0	6.0	11.7	14.0	20.7	15.0	13.7	15.3	18.3	-
子宮		52.3	-	-	-	-	-	-	0.3	0.3	1.0	3.0	2.7	5.3	4.0	3.3	6.7	6.0	7.0	6.0	6.7	-
白血病		85.7	-	0.3	0.3	0.3	0.3	0.3	0.7	-	0.7	1.0	2.0	2.0	3.0	8.3	14.7	15.3	16.0	12.3	8.0	-
糖尿病		141.0	-	-	-	-	-	-	0.3	-	-	1.3	3.0	3.3	6.0	7.0	18.3	19.7	22.7	28.7	30.7	-
高血圧性疾患		99.7	-	-	-	-	-	-	0.3	-	0.3	0.7	1.7	0.7	3.0	5.3	7.0	7.0	12.0	17.7	44.0	-
心疾患(高血圧性を除く)		1987.0	0.3	-	0.3	0.3	-	1.3	1.3	1.3	7.0	12.0	20.3	25.7	36.0	64.7	136.3	185.0	261.3	416.0	818.0	-
急性心筋梗塞		390.7	-	-	-	-	-	-	-	0.3	2.7	5.7	9.3	10.0	10.3	24.7	45.3	58.0	65.7	76.0	82.7	-
その他の虚血性心疾患		233.3	-	-	-	-	-	-	-	-	0.7	0.7	3.0	5.0	7.0	13.7	24.3	29.0	36.3	44.3	69.3	-
不整脈及び伝導障害		304.7	-	-	-	-	-	0.3	0.3	0.7	2.7	3.0	4.0	3.7	8.3	14.0	22.3	28.7	41.7	64.7	110.3	-
心不全		854.3	-	-	-	0.3	-	-	0.3	0.3	0.7	1.7	2.3	5.0	4.3	7.7	29.7	48.3	94.7	186.7	472.3	-
脳血管疾患		1070.3	-	0.3	-	0.3	-	0.3	1.0	1.7	2.7	9.7	10.7	11.7	21.0	37.3	94.7	101.0	177.3	235.0	365.7	-
くも膜下出血		103.7	-	-	-	-	-	-	0.3	1.0	1.3	4.7	5.3	3.0	5.0	6.7	15.0	11.7	16.7	17.0	16.0	-
脳内出血		299.7	-	0.3	-	0.3	-	0.3	0.3	0.7	1.0	4.7	4.7	8.0	11.3	17.7	36.7	34.3	55.3	52.7	71.3	-
脳梗塞		646.7	-	-	-	-	-	-	0.3	-	0.3	0.3	0.3	0.7	3.7	12.0	39.7	54.0	102.3	160.7	272.3	-
大動脈瘤及び解離		186.0	-	-	-	-	-	-	0.3	0.3	-	1.7	2.0	3.7	7.3	14.3	19.0	17.7	32.3	39.7	47.7	-
肺炎		668.7	0.7	0.3	0.3	-	-	-	0.3	-	0.7	1.7	1.7	3.7	6.0	10.3	33.7	63.0	105.3	164.0	277.0	-
慢性閉塞性肺疾患		137.0	-	-	-	-	-	-	-	-	-	-	0.3	-	2.0	4.7	13.7	18.3	26.0	36.7	35.3	-
喘息		9.7	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	1.3	0.3	3.0	4.7	-
肝疾患		140.0	0.7	-	-	-	-	-	0.3	1.7	3.7	4.3	8.3	10.7	8.7	13.3	18.3	19.0	19.3	15.7	16.0	-
腎不全		221.3	-	-	-	-	-	-	-	0.3	0.3	1.3	-	2.3	3.0	6.0	19.3	18.7	33.7	54.3	82.0	-
老衰		1345.7	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.7	11.0	29.7	90.7	255.0	957.0	-
不慮の事故		382.3	1.7	1.0	0.7	1.3	2.3	1.0	2.0	3.3	3.0	8.0	7.3	8.0	14.3	17.3	38.0	42.0	66.7	74.3	90.0	-
交通事故		38.0	-	0.3	-	0.3	2.0	0.7	1.3	1.0	1.0	2.7	2.0	1.7	3.3	2.7	3.7	4.3	5.3	4.0	1.7	-
自殺		168.3	-	-	2.0	3.0	11.0	7.7	11.7	11.0	9.0	20.7	13.0	14.7	12.7	8.7	14.3	13.0	8.7	4.3	3.0	-

#### 4)標準化死亡比(ベイズ推定値)

主要死因・性別(平成25年～平成29年)

資料:人口動態統計特殊報告

(男)

市町	全死因	悪性新生物<腫瘍>					心疾患(高血圧性を除く)			脳血管疾患			肺炎	肝疾患	腎不全	老衰	不慮の事故	自殺
		総数	胃	大腸	肝及び肝内胆管	気管、気管支及び肺	総数	急性心筋梗塞	心不全	総数	脳内出血	脳梗塞						
七尾市	98.4	102.7	115.4	103.6	81.9	110.9	101.9	124.0	90.2	114.4	88.0	116.8	77.9	85.5	76.3	77.8	118.3	94.6
羽咋市	103.7	103.3	122.7	100.3	91.0	101.1	99.8	128.5	93.7	115.6	110.1	116.1	97.2	80.9	73.5	98.6	113.4	115.4
志賀町	98.3	94.8	109.8	87.9	77.9	105.6	100.7	93.9	101.8	121.6	92.1	136.9	100.4	68.0	79.9	76.8	104.4	105.5
宝達志水町	97.4	100.9	101.4	86.9	100.5	107.8	88.4	115.8	82.8	106.2	100.3	110.9	93.5	80.6	86.9	90.8	110.5	101.9
中能登町	100.0	100.2	127.5	103.4	72.0	95.0	99.2	77.0	101.2	121.8	115.7	122.4	90.0	83.9	83.1	78.5	123.7	90.4
管内	99.9	101.3	121.5	96.3	83.1	105.8	100.7	114.3	89.9	121.0	101.1	124.7	85.1	81.7	74.9	82.5	117.6	110.2
石川県	97.5	99.6	106.9	98.7	85.2	103.7	95.4	126.9	98.7	107.5	96.2	115.5	96.5	78.8	83.9	85.6	107.9	91.2
全国	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100

(女)

市町	全死因	悪性新生物<腫瘍>					心疾患(高血圧性を除く)			脳血管疾患			肺炎	肝疾患	腎不全	老衰	不慮の事故	自殺
		総数	胃	大腸	肝及び肝内胆管	気管、気管支及び肺	総数	急性心筋梗塞	心不全	総数	脳内出血	脳梗塞						
七尾市	101.5	104.3	115.9	109.8	91.4	101.2	100.2	110.4	94.4	130.3	103.0	138.9	62.7	101.6	91.1	83.6	115.6	74.5
羽咋市	94.7	98.9	101.7	99.9	87.0	86.8	96.9	114.0	93.4	116.3	97.0	127.8	88.6	97.3	82.5	93.1	101.8	82.5
志賀町	99.0	92.5	103.4	80.8	82.3	89.8	106.7	93.9	113.3	104.6	98.8	109.7	96.3	97.6	86.5	96.6	103.8	97.4
宝達志水町	102.4	114.1	112.3	110.2	97.7	93.8	96.3	115.8	91.2	113.5	102.5	124.5	87.4	100.4	91.6	92.0	103.3	81.8
中能登町	100.9	110.9	124.7	117.0	99.0	94.1	92.6	77.0	101.1	121.3	105.0	122.7	91.7	109.3	86.5	89.3	112.9	91.6
管内	100.5	104.0	112.5	103.3	92.7	89.0	98.8	93.7	97.0	101.1	106.7	132.9	80.3	108.1	87.0	89.8	115.9	83.5
石川県	97.5	102.6	111.0	104.5	90.2	99.3	100.0	123.6	102.6	107.4	96.6	116.4	85.1	96.9	88.8	88.2	97.8	85.7
全国	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100