

10 特定健康診査 ・特定保健指導

1) 特定健康診査の状況
【七尾市】

		H25年度	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度
対象者数		10,739	10,602	10,196	9,633	9,213	8,926	8,773	8,633	8,270	7,740
特定健康診査	受診者数	4,908	4,909	4,774	4,484	4,204	4,011	3,740	3,065	3,089	2,950
	受診率	45.7%	46.3%	46.8%	46.5%	45.6%	44.9%	42.6%	35.5%	37.4%	38.1%
	評価対象者	4,912	4,918	4,777	4,486	4,204	4,020	3,740	3,065	3,089	2,950
	対象者	585	544	536	511	492	437	416	338	351	334
特定保健指導	率	11.9%	11.1%	11.2%	11.4%	11.7%	10.9%	11.1%	11.0%	11.4%	11.3%
	利用者	423	415	418	392	393	356	350	303	313	277
	率	72.3%	76.3%	78.0%	76.7%	79.9%	81.5%	84.1%	89.6%	89.2%	82.9%
	終了者	385	378	377	372	369	319	314	292	296	232
	実施率	65.8%	69.5%	70.3%	72.8%	75.0%	73.0%	75.5%	86.4%	84.3%	69.5%

【石川県】

		H25年度	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度
対象者数		194,046	191,883	187,308	179,102	172,774	166,049	161,690	160,547	155,265	144,501
特定健康診査	受診者数	82,230	83,009	83,865	80,701	78,819	76,571	76,053	64,480	65,236	61,733
	受診率	42.4%	43.3%	44.8%	45.1%	45.6%	46.1%	47.0%	40.2%	42.0%	42.7%
	評価対象者	82,239	83,029	83,872	80,707	78,854	76,589	76,070	64,492	65,263	61,746
	対象者	8,551	8,491	8,597	8,323	8,154	7,886	7,645	6,496	6,708	6,303
特定保健指導	率	10.4%	10.2%	10.3%	10.3%	10.3%	10.3%	10.0%	10.1%	10.3%	10.2%
	利用者	4406	4786	5119	5057	4973	4940	4594	3296	3451	3455
	率	51.5%	56.4%	59.5%	60.8%	61.0%	62.6%	60.1%	50.7%	51.4%	54.8%
	終了者	4023	4441	4704	4728	4628	4560	4230	3032	3086	3048
	実施率	47.0%	52.3%	54.7%	56.8%	56.8%	57.8%	55.3%	46.7%	46.0%	48.4%

※石川県の数は市町国保の合計とする。

2) 特定保健指導の状況(積極的支援)
【七尾市】

		H25年度	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	
評価対象者		4,912	4,918	4,777	4,486	4,204	4,020	3,740	3,065	3,089	2,950	
積極的支援	対象者	165	132	144	114	114	85	88	68	70	73	
	率	3.4%	2.7%	3.0%	2.5%	2.7%	2.1%	2.4%	2.2%	2.3%	2.5%	
	利用者	人数	107	100	104	82	75	66	69	56	56	49
		率	64.8%	75.8%	72.2%	71.9%	65.8%	77.6%	78.4%	82.4%	80.0%	67.1%
	終了者	人数	69	64	65	62	52	29	43	48	47	22
		率	41.8%	48.5%	45.1%	54.4%	45.6%	34.1%	48.9%	70.6%	67.1%	30.1%
	中断者	35.5%	36.0%	37.5%	24.4%	30.7%	56.1%	37.7%	14.3%	16.1%	55.1%	
	服薬除外者	277	246	223	184	190	180	162	121	143	130	

【石川県】

		H25年度	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	
評価対象者		82,239	83,029	83,872	80,707	78,854	76,589	76,070	64,492	65,263	61,746	
積極的支援	対象者	2,184	2,014	1,943	1,833	1,736	1,645	1,600	1,295	1,425	1,354	
	率	2.7%	2.4%	2.3%	2.3%	2.2%	2.1%	2.1%	2.0%	2.2%	2.2%	
	利用者	人数	969	1,011	980	945	855	827	783	574	613	620
		率	44.4%	50.2%	50.4%	51.6%	49.3%	50.3%	48.9%	44.3%	43.0%	45.8%
	終了者	人数	603	676	609	633	528	481	485	389	375	360
		率	27.6%	33.6%	31.3%	34.5%	30.4%	29.2%	30.3%	30.0%	26.3%	26.6%
	中断者	37.8%	33.1%	37.9%	33.0%	38.2%	41.8%	38.1%	32.2%	38.8%	41.9%	
	服薬除外者	3407	3149	3067	2985	2895	2760	2835	2386	2349	2413	

※石川県の数は市町国保の合計とする。

3) 特定保健指導の状況(動機付け支援)
【七尾市】

	H25年度	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度		
評価対象者	4,912	4,918	4,777	4,486	4,204	4,020	3,740	3,065	3,089	2,950		
動機付け支援	対象者	420	412	392	397	378	352	328	270	281	261	
	率	8.6%	8.4%	8.2%	8.8%	9.0%	8.8%	8.8%	8.8%	9.1%	8.8%	
	利用者	人数	316	315	314	310	318	290	281	247	257	228
		率	75.2%	76.5%	80.1%	78.1%	84.1%	82.4%	85.7%	91.5%	91.5%	87.4%
	終了者	人数	316	314	312	310	317	290	271	244	249	210
		率	75.2%	76.2%	79.6%	78.1%	83.9%	82.4%	82.6%	90.4%	88.6%	80.5%
	中断者	0.0%	0.3%	0.6%	0.0%	0.3%	0.0%	3.6%	1.2%	3.1%	7.9%	
服薬除外者	1,003	1,050	1,045	1,013	993	970	933	833	816	758		

【石川県】

	H25年度	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度		
評価対象者	82,239	83,029	83,872	80,707	78,854	76,589	76,070	64,492	65,263	61,746		
動機付け支援	対象者	6,367	6,477	6,654	6,490	6,418	6,241	6,045	5,201	5,283	4,949	
	率	7.7%	7.8%	7.9%	8.0%	8.1%	8.1%	7.9%	8.1%	8.1%	8.0%	
	利用者	人数	3,437	3,775	4,139	4,112	4,118	4,113	3,811	2,722	2,838	2,835
		率	54.0%	58.3%	62.2%	63.4%	64.2%	65.9%	63.0%	52.3%	53.7%	57.3%
	終了者	人数	3,420	3,765	4,095	4,095	4,100	4,079	3,745	2,643	2,711	2,688
		率	53.7%	58.1%	61.5%	63.1%	63.9%	65.4%	62.0%	50.8%	51.3%	54.3%
	中断者	0.5%	0.3%	1.1%	0.4%	0.4%	0.8%	1.7%	2.9%	4.5%	5.2%	
服薬除外者	15,485	16,392	16,901	16,849	16,952	17,072	17,947	16,821	16,121	15,015		

※石川県の数は市町国保の合計とする。

4) 内臓脂肪症候群・服薬に関する状況
【七尾市】

	H25年度	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	
評価対象者	4,912	4,918	4,777	4,486	4,204	4,020	3,740	3,065	3,089	2,950	
内臓脂肪症候群	人数	1,028	991	990	951	927	890	850	805	796	727
	率	20.9%	20.2%	20.7%	21.2%	22.1%	22.1%	22.7%	26.3%	25.8%	24.6%
内臓脂肪症候群予備群	人数	497	519	499	460	456	442	392	293	342	317
	率	10.6%	10.6%	10.4%	10.3%	10.8%	11.0%	10.5%	9.6%	11.1%	10.7%
高血圧症の治療	人数	1,939	1,949	1,865	1,756	1,698	1,627	1,507	1,305	1,263	1,207
	率	39.5%	39.6%	39.0%	39.1%	40.4%	40.5%	40.3%	42.6%	40.9%	40.9%
脂質異常症の治療	人数	1,383	1,439	1,404	1,333	1,270	1,258	1,191	1,015	998	964
	率	28.2%	29.3%	29.4%	29.7%	30.2%	31.3%	31.8%	33.1%	32.3%	32.7%
糖尿病の治療	人数	485	512	515	470	451	478	433	395	375	371
	率	9.9%	10.4%	10.8%	10.5%	10.7%	11.9%	11.6%	12.9%	12.1%	12.6%

【石川県】

	H24年度	H25年度	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R4年度	
評価対象者	80,330	82,239	83,029	83,872	80,707	78,854	76,589	76,070	64,492	61,746	
内臓脂肪症候群	人数	14,757	14,881	15,315	15,804	15,799	15,896	15,847	16,518	15,629	14,194
	率	18.4%	18.1%	18.4%	18.8%	19.6%	20.2%	20.7%	21.7%	24.2%	23.0%
内臓脂肪症候群予備群	人数	7,977	8,344	8,505	8,515	8,267	8,114	8,016	8,096	6,910	6,607
	率	9.9%	10.1%	10.2%	10.2%	10.2%	10.3%	10.5%	10.6%	10.7%	10.7%
高血圧症の治療	人数	29,471	30,790	31,399	31,788	30,879	30,222	29,540	29,944	26,998	24,538
	率	36.7%	37.4%	37.8%	37.9%	38.3%	38.3%	38.6%	39.4%	41.9%	39.7%
脂質異常症の治療	人数	21,528	22,756	23,652	24,206	23,788	23,392	23,296	23,785	21,778	20,369
	率	26.8%	27.7%	28.5%	28.9%	29.5%	29.7%	30.4%	31.3%	33.8%	33.0%
糖尿病の治療	人数	6,625	7,033	7,590	7,902	7,657	7,863	7,986	8,224	7,381	6,757
	率	8.2%	8.6%	9.1%	9.4%	9.5%	10.0%	10.4%	10.8%	11.4%	10.9%

※石川県の数は市町国保の合計とする。

5) 特定健康診査
【七尾市】

	H25年度	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度
受診者数	5,062	5,069	4,906	4,652	4,311	4,134	3,833	3,141	3,164	2,950
腹囲 男性85cm以上 女性90cm以上 または BMI 25以上	1,696	2,023	1,969	1,894	1,798	1,740	1,638	1,394	1,428	1,475
(%)	33.5%	39.9%	40.1%	40.7%	41.7%	42.1%	42.7%	44.4%	45.1%	50.0%
腹 囲	男性:85cm未満 女性:90cm未満	3,821	3,374	3,253	3,039	2,775	2,641	2,450	1,933	1,840
(%)	75.5%	66.6%	66.3%	65.3%	64.4%	63.9%	63.9%	61.5%	60.4%	62.4%
男性:85cm以上 女性:90cm以上	1,233	1,683	1,645	1,604	1,535	1,488	1,380	1,208	1,250	1,110
(%)	24.4%	33.2%	33.5%	34.5%	35.6%	36.0%	36.0%	38.5%	39.5%	37.6%
実施せず	8	12	8	9	1	5	3	0	3	0
(%)	0.2%	0.2%	0.2%	0.2%	0.0%	0.1%	0.1%	0.0%	0.1%	0.0%
B M I	18.5未満	274	288	282	257	249	207	207	165	187
(%)	5.4%	5.7%	5.7%	5.5%	5.8%	5.0%	5.4%	5.3%	6.1%	6.3%
18.5～25未満	3,343	3,313	3,206	3,043	2,752	2,683	2,446	1,982	1,969	1,843
(%)	66.0%	65.4%	65.3%	65.4%	63.8%	64.9%	63.8%	63.1%	62.2%	62.5%
25以上	1,442	1,462	1,413	1,349	1,309	1,242	1,178	994	1,000	920
(%)	28.5%	28.8%	28.8%	29.0%	30.4%	30.0%	30.7%	31.6%	31.6%	31.2%
実施せず	3	6	5	3	1	2	2	0	3	0
(%)	0.1%	0.1%	0.1%	0.1%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%
血 圧	異常なし ～129 and ～84	2,684	2,378	2,583	2,460	2,222	2,129	1,999	1,404	1,471
(%)	53.0%	54.0%	52.6%	52.9%	51.5%	51.5%	52.2%	44.7%	46.5%	47.1%
保健指導判定 130～139 or 85～89	1,078	1,066	993	947	946	937	891	808	724	725
(%)	21.3%	21.0%	20.2%	20.4%	21.9%	22.7%	23.2%	25.7%	22.9%	24.6%
受診勧奨判定 140～ or 90～	1,295	1,254	1,323	1,242	1,142	1,064	941	929	966	837
(%)	25.6%	24.7%	27.0%	26.7%	26.5%	25.7%	24.5%	29.6%	30.5%	28.4%
不明・検査せず	5	11	7	3	1	4	2	0	3	0
(%)	0.1%	0.2%	0.1%	0.1%	0.0%	0.1%	0.1%	0.0%	0.1%	0.0%
中 性 脂 肪	異常なし ～149	3,899	3,865	3,711	3,485	3,192	3,073	2,813	2,223	2,246
(%)	77.0%	76.2%	75.6%	74.9%	74.0%	74.3%	73.4%	70.8%	71.0%	72.7%
保健指導判定 150～299	1,022	1,055	1,047	1,019	976	927	887	788	805	700
(%)	20.2%	20.8%	21.3%	21.9%	22.6%	22.4%	23.1%	25.1%	25.4%	23.7%
受診勧奨判定 300～	139	147	148	147	143	130	132	130	112	106
(%)	2.7%	2.9%	3.0%	3.2%	3.3%	3.1%	3.4%	4.1%	3.5%	3.6%
不明・検査せず	2	2	0	1	0	4	1	0	1	0
(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%

* 保険者が社会保険診療報酬支払い基金を通じて国へ提出する報告書に基づく結果より

資料: 石川県成人病検診管理指導協議会における課題検討結果報告

【石川県】

	H25年度	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度
受診者数	85,139	85,920	86,800	83,790	81,397	79,277	78,440	66,601	67,517	61,733
腹囲 男性85cm以上 女性90cm以上 または BMI 25以上	29,836	31,555	32,027	31,569	31,041	30,192	31,505	28,194	27,854	29,823
(%)	35.0%	36.7%	36.9%	37.7%	38.1%	38.1%	40.2%	42.3%	41.3%	48.3%
腹 囲	男性:85cm未満 女性:90cm未満	59,898	58,527	58,851	56,124	54,127	52,993	50,496	41,406	42,571
(%)	70.4%	68.1%	67.8%	67.0%	66.5%	66.8%	64.4%	62.2%	63.1%	63.3%
男性:85cm以上 女性:90cm以上	25,225	27,360	27,930	27,643	27,251	26,268	27,925	25,192	24,930	22,658
(%)	29.6%	31.8%	32.2%	33.0%	33.5%	33.1%	35.6%	37.8%	36.9%	36.7%
実施せず	16	33	19	23	19	16	19	3	16	1
(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
B M I	18.5未満	5,875	5,927	6,065	5,890	5,641	5,612	5,624	4,597	5,060
(%)	6.9%	6.9%	7.0%	7.0%	6.9%	7.1%	7.2%	6.9%	7.5%	8.0%
18.5～25未満	58,933	59,183	59,519	56,981	54,989	53,097	51,845	43,327	44,023	39,985
(%)	69.2%	68.9%	68.6%	68.0%	67.6%	67.0%	66.1%	65.1%	65.2%	64.8%
25以上	20,319	20,792	21,209	20,852	20,758	20,560	20,961	18,669	18,426	16,831
(%)	23.9%	24.2%	24.4%	24.9%	25.5%	25.9%	26.7%	28.0%	27.3%	27.3%
実施せず	12	19	7	7	9	8	10	8	8	0
(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
血 圧	異常なし ～129 and ～84	46,915	46,619	47,069	45,394	43,411	42,473	42,189	32,506	33,769
(%)	55.1%	54.3%	54.2%	54.2%	53.3%	53.6%	53.8%	48.8%	50.0%	50.8%
保健指導判定 130～139 or 85～89	19,103	19,567	19,677	18,828	18,502	18,057	17,971	16,410	16,192	14,618
(%)	22.4%	22.8%	22.7%	22.5%	22.7%	22.8%	22.9%	24.6%	24.0%	23.7%
受診勧奨判定 140～ or 90～	19,107	19,713	20,046	19,560	19,470	18,741	18,272	17,682	17,545	15,734
(%)	22.4%	22.9%	23.1%	23.3%	23.9%	23.6%	23.3%	26.5%	26.0%	25.5%
不明・検査せず	14	21	8	8	14	6	8	3	11	0
(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
中 性 脂 肪	異常なし ～149	63,811	65,488	66,489	64,002	61,679	60,421	59,631	49,010	50,672
(%)	74.9%	76.2%	76.6%	76.4%	75.8%	76.2%	76.0%	73.6%	75.1%	75.1%
保健指導判定 150～299	16,897	17,842	17,714	17,253	17,194	16,426	16,357	15,155	14,578	13,438
(%)	19.8%	20.8%	20.4%	20.6%	21.1%	20.7%	20.9%	22.8%	21.6%	21.8%
受診勧奨判定 300～	2,423	2,578	2,595	2,527	2,519	2,425	2,447	2,432	2,262	1,953
(%)	2.8%	3.0%	3.0%	3.0%	3.1%	3.1%	3.1%	3.7%	3.4%	3.2%
不明・検査せず	4	12	2	8	5	5	5	4	5	0
(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

5) 特定健康診査

【七尾市】

	H25年度	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	
受診者数	5,062	5,069	4,906	4,652	4,311	4,134	3,833	3,141	3,164	2,950	
HDLコレステロール	異常なし 40～	4,667	4,722	4,568	4,333	4,019	3,878	3,613	2,937	2,990	2,810
	(%)	92.2%	93.2%	93.1%	93.1%	93.2%	93.8%	94.3%	93.5%	94.5%	95.3%
	保健指導判定 35～39	306	256	253	249	231	184	177	159	130	105
	(%)	6.0%	5.1%	5.2%	5.4%	5.4%	4.5%	4.6%	5.1%	4.1%	3.6%
	受診勧奨判定 ～34	86	89	84	69	61	65	42	45	43	35
	(%)	1.7%	1.8%	1.7%	1.5%	1.4%	1.6%	1.1%	1.4%	1.4%	1.2%
不明・検査せず	3	2	1	1	0	7	1	0	1	0	
(%)	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	
LDLコレステロール	異常なし ～119	2,723	2,708	2,683	2,618	2,526	2,331	2,134	1,778	1,782	1,664
	(%)	53.8%	53.4%	54.7%	56.3%	58.6%	56.4%	55.7%	56.6%	56.3%	56.4%
	保健指導判定 120～139	1,170	1,150	1,136	1,042	915	958	904	736	765	688
	(%)	23.1%	22.7%	23.2%	22.4%	21.2%	23.2%	23.6%	23.4%	24.2%	23.3%
	受診勧奨判定 ～140	1,165	1,210	1,084	992	870	833	785	622	609	575
	(%)	23.0%	23.9%	22.1%	21.3%	20.2%	20.1%	20.5%	19.8%	19.2%	19.5%
不明・検査せず	4	1	3	0	0	12	10	5	8	23	
(%)	0.1%	0.0%	0.1%	0.0%	0.0%	0.3%	0.3%	0.2%	0.3%	0.8%	
AST(GOT)	異常なし 8～30	4,445	4,421	4,222	4,045	3,710	3,614	3,406	2,716	2,778	2,561
	(%)	87.8%	87.2%	86.1%	87.0%	86.1%	87.4%	88.9%	86.5%	87.8%	86.8%
	保健指導判定 31～50	516	543	573	523	512	437	363	363	334	339
	(%)	10.2%	10.7%	11.7%	11.2%	11.9%	10.6%	9.5%	11.6%	10.6%	11.5%
	受診勧奨判定 51～	99	104	111	84	89	82	64	62	52	50
	(%)	2.0%	2.1%	2.3%	1.8%	2.1%	2.0%	1.7%	2.0%	1.6%	1.7%
不明・検査せず	2	1	0	0	0	1	0	0	0	0	
(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
ALT(GPT)	異常なし 5～30	4,377	4,424	4,198	4,019	3,690	3,569	3,321	2,649	2,693	2,539
	(%)	86.5%	87.3%	85.6%	86.4%	85.6%	86.3%	86.6%	84.3%	85.1%	86.1%
	保健指導判定 31～50	517	477	526	487	480	426	393	372	355	308
	(%)	10.2%	9.4%	10.7%	10.5%	11.1%	10.3%	10.3%	11.8%	11.2%	10.4%
	受診勧奨判定 51～	166	166	182	146	141	138	119	120	116	103
	(%)	3.3%	3.3%	3.7%	3.1%	3.3%	3.3%	3.1%	3.8%	3.7%	3.5%
不明・検査せず	2	2	0	0	0	1	0	0	0	0	
(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	

* 保険者が社会保険診療報酬支払い基金を通じて国へ提出する報告書に基づく結果より

資料：石川県成人病検診管理指導協議会における課題検討結果報告

【石川県】

	H25年度	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	
受診者数	85,139	85,920	86,800	83,790	81,397	79,277	78,440	66,601	67,517	61,733	
HDLコレステロール	異常なし 40～	79,351	80,685	81,583	78,454	76,643	74,946	62,725	63,998	58,632	
	(%)	93.2%	93.9%	94.0%	93.6%	94.2%	94.5%	94.5%	94.2%	94.8%	95.0%
	保健指導判定 35～39	4,383	4,001	3,920	4,038	3,632	3,307	3,277	2,965	2,446	2,453
	(%)	5.1%	4.7%	4.5%	4.8%	4.5%	4.2%	4.2%	4.5%	3.6%	4.0%
	受診勧奨判定 ～34	1,395	1,224	1,294	1,287	1,115	1,016	1,005	905	1,062	648
	(%)	1.6%	1.4%	1.5%	1.5%	1.4%	1.3%	1.3%	1.4%	1.6%	1.0%
不明・検査せず	10	10	3	11	7	8	11	6	11	0	
(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
LDLコレステロール	異常なし ～119	43,727	43,111	44,849	44,908	44,319	41,843	40,891	35,968	36,832	34,488
	(%)	51.4%	50.2%	51.7%	53.6%	54.4%	52.8%	52.1%	54.0%	54.6%	55.9%
	保健指導判定 120～139	20,672	20,818	21,080	20,232	19,361	18,973	19,009	15,853	16,091	14,539
	(%)	24.3%	24.2%	24.3%	24.1%	23.8%	23.9%	24.2%	23.8%	23.8%	23.6%
	受診勧奨判定 ～140	20,728	21,979	20,866	18,638	17,706	18,401	18,441	14,621	14,448	12,581
	(%)	24.3%	25.6%	24.0%	22.2%	21.8%	23.2%	23.5%	22.0%	21.4%	20.4%
不明・検査せず	12	12	5	7165	11	59	99	159	146	125	
(%)	0.0%	0.0%	0.0%	8.6%	0.0%	0.1%	0.1%	0.2%	0.2%	0.2%	
AST(GOT)	異常なし 8～30	74,756	74,912	76,002	73,419	70,860	69,376	68,639	57,438	58,267	53,980
	(%)	87.8%	87.2%	87.6%	87.6%	87.1%	87.5%	87.5%	86.2%	86.3%	87.4%
	保健指導判定 31～50	8,632	9,261	9,032	8,672	8,851	8,232	8,146	7,520	7,602	6,420
	(%)	10.1%	10.8%	10.4%	10.3%	10.9%	10.4%	10.4%	11.3%	11.3%	10.4%
	受診勧奨判定 51～	1,745	1,743	1,765	1,696	1,682	1,666	1,653	1,641	1,645	1,333
	(%)	2.0%	2.0%	2.0%	2.0%	2.1%	2.1%	2.1%	2.5%	2.4%	2.2%
不明・検査せず	5	4	1	3	4	3	2	2	3	0	
(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
ALT(GPT)	異常なし 5～30	73,672	74,142	74,539	72,323	69,704	67,742	66,965	55,882	56,975	52,687
	(%)	86.5%	86.3%	85.9%	86.3%	85.6%	85.4%	85.4%	83.9%	84.4%	85.3%
	保健指導判定 31～50	8,694	8,941	9,294	8,627	8,834	8,626	8,610	7,894	7,695	6,641
	(%)	10.2%	10.4%	10.7%	10.3%	10.9%	10.9%	11.0%	11.9%	11.4%	10.8%
	受診勧奨判定 51～	2,767	2,832	2,966	2,837	2,855	2,906	2,863	2,823	2,844	2,405
	(%)	3.2%	3.3%	3.4%	3.4%	3.5%	3.7%	3.6%	4.2%	4.2%	3.9%
不明・検査せず	6	5	1	3	4	3	2	2	3	0	
(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	

5) 特定健康診査

【七尾市】

		H25年度	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度
受診者数		5,062	5,059	4,906	4,652	4,311	4,134	3,833	3,141	3,164	2,950
Y - G T (G T P)	異常なし ~50	4,266	4,315	4,168	3,961	3,651	3,546	3,279	2,695	2,716	2,550
	(%)	84.3%	85.1%	85.0%	85.1%	84.7%	85.8%	85.5%	85.8%	85.8%	86.4%
	保健指導判定 51~100	547	521	505	470	462	418	405	322	323	285
	(%)	10.8%	10.3%	10.3%	10.1%	10.7%	10.1%	10.6%	10.3%	10.2%	9.7%
	受診勧奨判定 101~	247	231	230	220	198	168	149	124	125	115
(%)	4.9%	4.6%	4.7%	4.7%	4.6%	4.1%	3.9%	3.9%	4.0%	3.9%	
不明・検査せず	2	2	3	1	0	2	0	0	0	0	0
(%)	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
血 糖 値 ・ ヘ モ グ ロ ビ ン A 1 c	異常なし 空腹・随時血糖値100未満 またはHbA1c5.6未満	2,724	2,729	2,524	2,287	1,955	1,980	1,803	1,429	1,542	1,358
	(%)	53.8%	53.8%	51.4%	49.2%	45.3%	47.9%	47.0%	45.5%	48.7%	46.0%
	保健指導判定 空腹・随時血糖値100以上~ 126未満 またはHbA1c5.6以上6.5未 満	1,933	1,930	1,933	1,945	1,938	1,734	1,669	1,371	1,312	1,299
	(%)	38.2%	38.1%	39.4%	41.8%	45.0%	41.9%	43.5%	43.6%	41.5%	44.0%
	受診勧奨判定 空腹・随時血糖値126以上 またはHbA1c6.5以上	397	401	433	414	417	417	359	341	309	293
(%)	7.8%	7.9%	8.8%	8.9%	9.7%	10.1%	9.4%	10.9%	9.8%	9.9%	
不明・検査せず	8	9	16	6	1	3	2	0	1	0	
(%)	0.2%	0.2%	0.3%	0.1%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	
尿 検 査 (蛋 白)	(-) (±)	4,796	4,772	4,652	4,393	4,070	3,874	3,573	2,975	2,998	2,725
	(%)	94.7%	94.1%	94.8%	94.4%	94.4%	93.7%	93.2%	94.7%	94.8%	92.4%
	(+) 以上	256	284	248	253	239	249	242	160	160	221
	(%)	5.1%	5.6%	5.1%	5.4%	5.5%	6.0%	6.3%	5.1%	5.1%	7.5%
不明・検査せず	10	13	6	6	2	11	18	6	6	4	
(%)	0.2%	0.3%	0.1%	0.1%	0.0%	0.3%	0.5%	0.2%	0.2%	0.1%	
尿 検 査 (糖)	(-) (±)	4,834	4,827	4,728	4,441	4,083	3,899	3,585	2,890	2,914	2,758
	(%)	95.5%	95.2%	96.4%	95.5%	94.7%	94.3%	93.5%	92.0%	92.1%	93.5%
	(+) 以上	221	230	173	206	226	224	230	245	244	188
	(%)	4.4%	4.5%	3.5%	4.4%	5.2%	5.4%	6.0%	7.8%	7.7%	6.4%
不明・検査せず	7	12	5	5	2	11	18	6	6	4	
(%)	0.1%	0.2%	0.1%	0.1%	0.0%	0.3%	0.5%	0.2%	0.2%	0.1%	

* 保険者が社会保険診療報酬支払い基金を通じて国へ提出する報告書に基づく結果より

* 空腹時血糖があるものは空腹時血糖の値で判定、空腹時血糖が無く、HbA1cがあるものはHbA1c

空腹時血糖もHbA1cもないもので、随時血糖があるものは随時血糖で判定

資料：石川県成人病検診管理指導協議会における課題検討結果報告

【石川県】

		H25年度	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度
受診者数		85,139	85,920	86,800	83,790	81,397	79,277	78,440	66,601	67,517	61,733
Y - G T (G T P)	異常なし ~50	71,817	72,503	73,384	71,016	68,929	67,114	66,360	56,307	57,200	52,582
	(%)	84.4%	84.4%	84.5%	84.8%	84.7%	84.7%	84.6%	84.5%	84.7%	85.2%
	保健指導判定 51~100	9,165	9,256	9,368	8,943	8,734	8,472	8,381	7,087	7,144	6,352
	(%)	10.8%	10.8%	10.8%	10.7%	10.7%	10.7%	10.7%	10.6%	10.6%	10.3%
	受診勧奨判定 101~	4,151	4,155	4,043	3,827	3,731	3,685	3,696	3,204	3,169	2,799
(%)	4.9%	4.8%	4.7%	4.6%	4.6%	4.6%	4.7%	4.8%	4.7%	4.5%	
不明・検査せず	6	6	5	4	3	6	3	3	3	4	0
(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
血 糖 値 ・ ヘ モ グ ロ ビ ン A 1 c	異常なし 空腹・随時血糖値100未満 またはHbA1c5.6未満	50,564	51,570	49,996	46,776	44,315	42,623	42,507	34,348	37,140	32,831
	(%)	59.4%	60.0%	57.6%	55.8%	54.4%	53.8%	54.2%	51.6%	55.0%	53.2%
	保健指導判定 空腹・随時血糖値100以上~ 126未満 またはHbA1c5.6以上6.5未 満	27,419	28,191	30,152	30,234	30,035	29,580	28,677	25,409	24,107	23,072
	(%)	33.4%	32.8%	34.7%	36.1%	36.9%	37.3%	36.6%	38.2%	35.7%	37.4%
	受診勧奨判定 空腹・随時血糖値126以上 またはHbA1c6.5以上	6,131	6,140	6,633	6,673	7,035	7,070	7,247	6,837	6,260	5,830
(%)	7.2%	7.1%	7.6%	8.0%	8.6%	8.9%	9.2%	10.3%	9.3%	9.4%	
不明・検査せず	25	19	19	0	12	4	9	7	10	0	
(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
尿 検 査 (蛋 白)	(-) (±)	80,811	81,697	82,536	79,626	76,997	74,882	74,215	62,696	63,787	57,644
	(%)	94.9%	95.1%	95.1%	95.0%	94.6%	94.5%	94.6%	94.1%	94.5%	93.4%
	(+) 以上	4,222	4,093	4,171	4,074	4,324	4,311	4,111	3,794	3,594	4,014
	(%)	5.0%	4.8%	4.8%	4.9%	5.3%	5.4%	5.2%	5.7%	5.3%	6.5%
不明・検査せず	106	130	93	90	76	84	114	111	136	75	
(%)	0.1%	0.2%	0.1%	0.1%	0.1%	0.1%	0.1%	0.2%	0.2%	0.1%	
尿 検 査 (糖)	(-) (±)	82,124	82,806	83,578	80,577	77,806	75,503	73,864	62,229	63,084	58,149
	(%)	96.5%	96.4%	96.3%	96.2%	95.6%	95.2%	94.2%	93.4%	93.4%	94.2%
	(+) 以上	2,918	2,991	3,129	3,129	3,517	3,686	4,464	4,271	4,297	3,512
	(%)	3.4%	3.5%	3.6%	3.7%	4.3%	4.6%	5.7%	6.4%	6.4%	5.7%
不明・検査せず	97	123	93	84	74	88	112	101	136	72	
(%)	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.2%	0.2%	0.1%	

5) 特定健康診査

【七尾市】

		H25年度	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	
受診者数		5,062	5,069	4,906	4,652	4,311	4,134	3,833	3,141	3,164	2,950	
クレアチニン	検査実施者数	4,840	5,009	4,864	4,603	4,274	4,096	3,805	3,123	3,145	2,950	
	(%)	98.6%	98.8%	99.1%	98.9%	99.1%	99.1%	99.3%	99.4%	99.4%	100.0%	
	異常なし 男性 ≤1.2mg/dl 女性 ≤1.0mg/dl	3,976	4,957	4,819	4,545	4,220	4,055	3,754	3,081	3,110	2,921	
	(%)	82.1%	99.0%	99.1%	98.7%	98.7%	99.0%	98.7%	98.7%	98.9%	99.0%	
	要医療 男性 1.2mg/dl< 女性 1.0mg/dl<	49	52	45	58	54	41	51	42	35	29	
(%)	1.0%	1.0%	0.9%	1.3%	1.3%	1.0%	1.3%	1.3%	1.1%	1.0%		
推算糸球体濾過量	検査実施者数	4,840	4,851	4,703	4,437	4,272	3,969	3,713	3,123	2,834	2,649	
	(%)	98.6%	98.8%	98.5%	99.0%	99.1%	96.0%	96.9%	99.4%	89.6%	89.8%	
	ジステール	60ml/min/1.73m ² 以上 尿蛋白-	3,976	3,837	3,770	3,356	3,249	2,938	2,709	2,294	2,097	1,944
		(%)	82.1%	79.1%	80.2%	75.6%	76.1%	74.0%	73.0%	73.5%	74.0%	73.4%
	ステージ3	50~60ml/min/ 1.73m ² 未満	546	652	593	727	669	700	676	554	30~ 60ml/min/ 1.73m ² 未満	30~ 60ml/min/ 1.73m ² 未満
		(%)	11.3%	13.4%	12.6%	16.4%	15.7%	17.6%	18.2%	17.7%	731	700
		40~50ml/min/ 1.73m ² 未満	109	131	138	167	167	154	137	145		
		(%)	2.3%	2.7%	2.9%	3.8%	3.9%	3.9%	3.7%	4.6%		
	ステージ3	30~40ml/min/ 1.73m ² 未満	28	29	22	29	21	24	34	25	25.8%	26.4%
		(%)	0.6%	0.6%	0.5%	0.7%	0.5%	0.6%	0.9%	0.8%		
	ジステール	30ml/min/1.73 m ² 未満	14	12	11	13	18	6	9	9	6	6
(%)		0.3%	0.2%	0.2%	0.3%	0.4%	0.2%	0.2%	0.3%	0.2%	0.2%	
60ml/min/1.73m ² 以上 尿蛋白+以上		167	190	169	145	148	147	148	96	80	106	
(%)		3.5%	3.9%	3.6%	3.3%	3.5%	3.7%	4.0%	3.1%	2.8%	4.0%	
CKD該当者		864	1,014	933	1,081	1,023	1,031	1,004	829	817	811	
(%)		17.9%	20.9%	19.8%	24.4%	23.9%	26.0%	27.0%	26.5%	28.8%	30.6%	

* 保険者が社会保険診療報酬支払い基金を通じて国へ提出する報告書に基づく結果より

資料: 石川県成人病検診管理指導協議会における課題検討結果報告

【石川県】

		H25年度	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	
受診者数		85,139	85,920	86,800	83,790	81,397	79,277	74,373	66,601	67,517	61,733	
クレアチニン	検査実施者数	82,805	83,414	84,338	82,212	79,772	78,014	76,606	64,567	66,568	61,733	
	(%)	97.3%	97.1%	97.2%	98.1%	98.0%	98.4%	97.7%	96.9%	98.6%	100.0%	
	異常なし 男性 ≤1.2mg/dl 女性 ≤1.0mg/dl	81,703	82,419	83,307	81,065	78,540	77,013	75,389	63,365	65,376	60,663	
	(%)	98.7%	98.8%	98.8%	98.6%	98.5%	98.7%	98.4%	98.1%	98.2%	98.3%	
	要医療 男性 1.2mg/dl< 女性 1.0mg/dl<	1,102	995	1,031	1,147	1,232	1,001	1,217	1,202	1,192	1,070	
(%)	1.3%	1.2%	1.2%	1.4%	1.5%	1.3%	1.6%	1.9%	1.8%	1.7%		
推算糸球体濾過量	検査実施者数	79,966	80,453	80,807	78,978	79,563	75,351	74,373	64,627	63,700	58,308	
	(%)	97.2%	96.9%	96.4%	97.9%	97.7%	95.0%	94.8%	97.0%	94.3%	94.5%	
	ジステール	60ml/min/1.73m ² 以上 尿蛋白-	65,505	64,998	64,972	60,126	58,881	56,066	55,026	46,577	47,350	43,477
		(%)	81.9%	80.8%	80.4%	76.1%	74.0%	74.4%	74.0%	72.1%	74.3%	74.6%
	ステージ3	50~60ml/min/ 1.73m ² 未満	8,959	9,727	9,981	12,488	13,667	12,757	12,639	11,695	30~ 60ml/min/ 1.73m ² 未満	30~ 60ml/min/ 1.73m ² 未満
		(%)	11.2%	12.1%	12.4%	15.8%	17.2%	16.9%	17.0%	18.1%	16,161	14,650
		40~50ml/min/ 1.73m ² 未満	2,114	2,361	2,488	3,078	3,460	3,155	3,194	3,175		
		(%)	2.6%	2.9%	3.1%	3.9%	4.3%	4.2%	4.3%	4.9%		
	ステージ3	30~40ml/min/ 1.73m ² 未満	482	548	547	613	744	660	661	659	25.4%	25.1%
		(%)	0.6%	0.7%	0.7%	0.8%	0.9%	0.9%	0.9%	1.0%		
	ジステール	30ml/min/1.73 m ² 未満	211	218	234	252	267	252	268	271	189	181
(%)		0.3%	0.3%	0.3%	0.3%	0.3%	0.3%	0.4%	0.4%	0.3%	0.3%	
60ml/min/1.73m ² 以上 尿蛋白+以上		2,695	2,601	2,585	2,421	2,544	2,461	2,585	2,250	1,940	1,912	
(%)		3.4%	3.2%	3.2%	3.1%	3.2%	3.3%	3.5%	3.5%	3.0%	3.3%	
CKD該当者		14,461	15,455	15,835	18,852	20,682	19,285	19,347	18,050	18,290	16,743	
(%)		18.1%	19.2%	19.6%	23.9%	26.0%	25.6%	26.0%	27.9%	28.7%	28.7%	

6) 特定健康診査 詳細項目

【七尾市】

	H25年度	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度
受診者数	5,062	5,069	4,906	4,652	4,311	4,134	3,833	3,141	3,164	2,950
心電図	検査実施者数	4,956	4,968	4,791	4,555	4,169	3,964	3,713	3,049	2,859
	(%)	97.9%	98.0%	97.7%	97.9%	96.7%	95.9%	96.9%	97.1%	96.0%
	所見なし	3,412	3,397	3,378	3,285	3,035	2,894	2,739	2,286	2,322
	(%)	68.8%	68.4%	70.5%	72.1%	72.8%	73.0%	73.8%	75.0%	76.5%
	所見あり	1,544	1,571	1,413	1,270	1,134	1,070	974	763	714
(%)	31.2%	31.6%	29.5%	27.9%	27.2%	27.0%	26.2%	25.0%	23.5%	
貧血判定 (ヘモグロビン値)	検査実施者数	5,027	5,029	4,821	4,574	4,169	3,965	3,719	3,051	2,860
	(%)	99.3%	99.2%	98.3%	98.3%	96.7%	95.9%	97.0%	97.1%	96.1%
	異常なし 男性:13≦ 女性:12	4,391	4,302	4,224	4,026	3,728	3,520	3,314	2,717	2,746
	(%)	87.3%	85.5%	87.6%	88.0%	89.4%	88.8%	89.1%	89.1%	90.3%
	保健指導判定 男性:12以上13未満 女性:11以上12未満	492	565	467	434	325	355	328	261	225
(%)	9.8%	11.2%	9.7%	9.5%	7.8%	9.0%	8.8%	8.6%	7.4%	
受診勧奨判定 男性:<12 女性:<11	144	162	130	114	116	90	77	73	69	
(%)	2.9%	3.2%	2.7%	2.5%	2.8%	2.3%	2.1%	2.4%	2.3%	
眼底検査	検査実施者数	97	92	73	81	72	656	555	617	617
	(%)	1.9%	1.8%	1.5%	1.7%	1.7%	15.9%	14.5%	19.6%	20.4%
	異常なし	95	88	71	80	72	643	532	604	622
	(%)	97.9%	95.7%	97.3%	98.8%	100.0%	98.0%	95.9%	97.9%	96.1%
	要指導	1	2	1	0	0	0	1	2	4
(%)	1.0%	3.2%	1.4%	0.0%	0.0%	0.0%	0.2%	0.3%	0.6%	
要医療	1	2	1	1	0	13	22	11	21	
(%)	1.0%	2.2%	1.4%	1.2%	0.0%	2.0%	4.0%	1.8%	3.2%	

* 保険者が社会保険診療報酬支払い基金を通じて国へ提出する報告書に基づく結果より

7) 喫煙状況

【七尾市】

	H25年度	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度
受診者数	5,062	5,069	4,906	4,652	4,311	4,134	3,833	3,141	3,164	2,950
習慣的な喫煙	吸っている	767	729	668	635	586	522	483	366	362
	(%)	15.2%	14.4%	13.6%	13.7%	13.6%	12.6%	12.6%	11.7%	11.4%
	吸っていない	4,294	4,337	4,232	4,016	3,725	3,610	3,348	2,775	2,801
	(%)	84.8%	85.6%	86.3%	86.3%	86.4%	87.3%	87.3%	88.3%	88.5%
	不明	1	3	6	1	0	2	2	0	1
(%)	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	

* 保険者が社会保険診療報酬支払い基金を通じて国へ提出する報告書に基づく結果より

資料:石川県成人病検診管理指導協議会における課題検討結果報告

【石川県】

	H25年度	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度
受診者数	85,139	85,920	86,800	83,790	81,397	79,277	78,440	66,601	67,517	61,733
心電図	検査実施者数	70,697	72,455	73,373	73,081	71,539	74,949	71,236	56,140	63,365
	(%)	83.0%	84.3%	84.5%	87.2%	87.9%	94.5%	90.8%	84.3%	93.9%
	所見なし	50,974	52,326	52,523	52,365	50,867	53,430	50,672	39,673	45,153
	(%)	72.1%	72.2%	71.6%	71.7%	71.1%	71.3%	71.1%	70.7%	71.3%
	所見あり	19,723	20,129	20,850	20,716	20,672	21,519	20,564	16,467	18,212
(%)	27.9%	27.8%	28.4%	28.3%	28.9%	28.7%	28.9%	29.3%	28.7%	
貧血判定 (ヘモグロビン値)	検査実施者数	79,550	91,194	82,091	80,396	77,989	76,002	71,787	56,280	63,988
	(%)	93.4%	94.5%	94.6%	95.9%	95.8%	95.9%	91.5%	94.8%	94.6%
	異常なし 男性:13≦ 女性:12	63,428	71,505	72,654	70,859	69,969	68,457	65,500	50,642	57,751
	(%)	79.7%	88.1%	88.5%	88.1%	89.7%	90.1%	91.2%	90.0%	90.3%
	保健指導判定 男性:12以上13未満 女性:11以上12未満	11,574	7,419	7,183	7,183	6,084	5,765	4,774	4,265	4,766
(%)	14.5%	9.1%	8.8%	8.9%	7.8%	7.6%	6.7%	7.6%	7.4%	
受診勧奨判定 男性:<12 女性:<11	4,548	2,270	2,254	2,354	1,936	1,780	1,513	1,373	1,471	
(%)	5.7%	2.8%	2.7%	2.9%	2.5%	2.3%	2.1%	2.4%	2.3%	
眼底検査	検査実施者数	2,470	2,577	2,706	2,953	2,995	11,373	10,394	7,752	8,515
	(%)	2.9%	3.0%	3.1%	3.5%	3.7%	14.3%	13.3%	11.6%	12.6%
	異常なし	2,412	2,527	2,636	2,903	2,941	11,016	10,053	7,541	8,282
	(%)	97.7%	98.1%	97.4%	98.3%	98.2%	96.9%	96.7%	97.3%	97.7%
	要指導	41	39	61	34	38	188	161	119	129
(%)	1.7%	1.5%	2.3%	1.2%	1.3%	1.7%	1.5%	1.5%	1.5%	
要医療	17	11	9	16	16	169	180	92	104	
(%)	0.7%	0.4%	0.3%	0.5%	0.5%	1.5%	1.7%	1.2%	1.2%	

資料:石川県成人病検診管理指導協議会における課題検討結果報告

【石川県】

	H25年度	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度
受診者数	85,139	85,920	86,800	83,790	81,397	79,277	78,440	66,601	67,517	61,733
習慣的な喫煙	吸っている	11,533	11,600	11,738	11,214	10,754	10,283	10,102	8,241	8,388
	(%)	13.5%	13.5%	13.5%	13.4%	13.2%	13.0%	12.9%	12.4%	12.4%
	吸っていない	73,601	74,311	75,055	72,573	70,636	68,991	68,322	58,385	59,079
	(%)	86.4%	86.5%	86.5%	86.6%	86.8%	87.0%	87.1%	87.7%	87.5%
	不明	5	9	7	3	6	3	16	2	50
(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	

8) 特定保健指導(積極的支援)の評価

【七尾市】

		H25年度	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度
評価時期		6ヵ月後	6ヵ月後	6ヵ月後	6ヵ月後	6ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後
評価実施者数		71	64	65	62	52	30	43	50	46	21
体重減少	5%Kg以上減少	12	4	5	13	7	3	3	2	2	0
	(%)	16.9%	6.3%	7.7%	21.0%	13.5%	10.0%	7.0%	4.0%	4.3%	0.0%
	5%Kg以上の減少なし	58	60	60	49	44	27	40	48	44	21
	(%)	81.7%	93.8%	92.3%	79.0%	84.6%	90.0%	93.0%	96.0%	95.7%	100.0%
	測定なし	1	0	0	0	1	0	0	0	0	0
	(%)	1.4%	0.0%	0.0%	0.0%	1.9%	0.0%	0.0%	0.0%	0.0%	0.0%
腹囲減少	3cm以上減少	15	9	13	13	13	3	5	7	2	0
	(%)	21.1%	14.1%	20.0%	21.0%	25.0%	10.0%	11.6%	14.0%	4.3%	0.0%
	3cm以上の減少なし	56	55	52	49	38	27	38	43	44	21
	(%)	78.9%	85.9%	80.0%	79.0%	73.1%	90.0%	88.4%	86.0%	95.7%	100.0%
	測定なし	0	0	0	0	1	0	0	0	0	0
	(%)	0.0%	0.0%	0.0%	0.0%	1.9%	0.0%	0.0%	0.0%	0.0%	0.0%
栄養・食生活	変化なし	36	32	32	27	24	13	20	29	28	17
	(%)	50.7%	50.0%	49.2%	43.5%	46.2%	43.3%	46.5%	58.0%	60.9%	81.0%
	改善	32	26	31	35	24	17	21	21	18	4
	(%)	45.1%	40.6%	47.7%	56.5%	46.2%	56.7%	48.8%	42.0%	39.1%	19.0%
	悪化	3	1	2	0	3	0	2	0	0	0
(%)	4.2%	1.6%	3.1%	0.0%	5.8%	0.0%	4.7%	0.0%	0.0%	0.0%	
身体活動	変化なし	60	45	51	51	40	28	32	41	34	19
	(%)	84.5%	70.3%	78.5%	82.3%	76.9%	93.3%	74.4%	82.0%	73.9%	90.5%
	改善	9	10	13	11	9	2	11	9	11	2
	(%)	12.7%	15.6%	20.0%	17.7%	17.3%	6.7%	25.6%	18.0%	23.9%	9.5%
	悪化	2	4	1	0	2	0	0	0	1	0
(%)	2.8%	6.3%	1.5%	0.0%	3.8%	0.0%	0.0%	0.0%	2.2%	0.0%	
喫煙	禁煙継続	3	1	3							
	(%)	4.2%	1.6%	4.6%							
	非継続	0	0	3							
	(%)	0.0%	0.0%	4.6%							
	非喫煙	1	0	0							
	(%)	1.4%	0.0%	0.0%							
禁煙の意思なし	3	1	8								
(%)	4.2%	1.6%	12.3%								

* 保険者が社会保険診療報酬支払い基金を通じて国へ提出する報告書に基づく結果より

資料:石川県成人病検診管理指導協議会における課題検討結果報告

		H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	
評価時期		6ヵ月後	6ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	
喫煙	健診時は喫煙の者	評価実施者数	4	10	9	4	4	2	2
		禁煙継続	0	3	2	1	1	0	0
		(%)	0.0%	30.0%	22.2%	25.0%	25.0%	0.0%	0.0%
		非継続	0	0	1	1	1	0	0
		(%)	0.0%	0.0%	11.1%	25.0%	25.0%	0.0%	0.0%
		禁煙の意思なし	4	7	6	2	2	2	2
	(%)	100.0%	70.0%	66.7%	50.0%	50.0%	100.0%	100.0%	
	健診時は非喫煙の者	評価実施者数	6	4	4	1	1	0	0
		非喫煙	4	4	4	1	1	0	0
		(%)	66.7%	100.0%	100.0%	100.0%	100.0%	0.0%	0.0%
		非継続	0	0	0	0	0	0	0
		(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
禁煙の意思なし		2	0	0	0	0	0	0	
(%)	33.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		

8) 特定保健指導(積極的支援)の評価

【石川県】

	H25年度	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	
評価時期	6ヵ月後	6ヵ月後	6ヵ月後	6ヵ月後	6ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	
評価実施者数	603	693	579	628	526	451	498	398	388	376	
体重減少	5%Kg以上減少	81	94	70	80	78	37	47	47	37	42
	(%)	13.4%	13.6%	12.1%	12.7%	14.8%	8.2%	9.4%	11.8%	9.5%	11.2%
	5%Kg以上の減少なし	520	574	498	543	431	414	451	350	351	334
	(%)	86.2%	82.8%	86.0%	86.5%	81.9%	91.8%	90.6%	87.9%	90.5%	88.8%
	測定なし	2	25	11	5	17	0	0	1	0	0
(%)	0.3%	3.6%	1.9%	0.8%	3.2%	0.0%	0.0%	0.3%	0.0%	0.0%	
腹囲減少	3cm以上減少	133	135	101	115	108	64	82	75	53	73
	(%)	22.1%	19.5%	17.4%	18.3%	20.5%	14.2%	16.5%	18.8%	13.7%	19.4%
	3cm以上の減少なし	462	531	431	459	403	387	416	323	335	303
	(%)	76.6%	76.6%	74.4%	73.1%	76.6%	85.8%	83.5%	81.2%	86.3%	80.6%
	測定なし	8	27	47	54	17	0	0	0	0	0
(%)	1.3%	3.9%	8.1%	8.6%	3.2%	0.0%	0.0%	0.0%	0.0%	0.0%	
栄養・食生活	変化なし	247	319	231	271	263	236	253	169	191	186
	(%)	41.0%	46.0%	39.9%	43.2%	50.0%	52.3%	50.8%	42.5%	49.2%	49.5%
	改善	340	241	335	342	236	207	229	216	189	185
	(%)	56.4%	34.8%	57.9%	54.5%	44.9%	45.9%	46.0%	54.3%	48.7%	49.2%
	悪化	16	11	26	15	13	8	16	13	8	5
(%)	2.7%	1.6%	4.5%	2.4%	2.5%	1.8%	3.2%	3.3%	2.1%	1.3%	
身体活動	変化なし	379	290	365	409	352	324	321	259	245	228
	(%)	62.9%	41.8%	63.0%	65.1%	66.9%	71.8%	64.5%	65.1%	63.1%	60.6%
	改善	206	269	201	197	148	116	149	133	129	137
	(%)	34.2%	38.8%	34.7%	31.4%	28.1%	25.7%	29.9%	33.4%	33.2%	36.4%
	悪化	18	12	12	22	12	11	28	6	14	11
(%)	3.0%	1.7%	2.1%	3.5%	2.3%	2.4%	5.6%	1.5%	3.6%	2.9%	
喫煙	禁煙継続	37	38	60							
	(%)	6.1%	5.5%	10.4%							
	非継続	37	17	12							
	(%)	6.1%	2.5%	2.1%							
	非喫煙	205	316	196							
	(%)	34.0%	45.6%	33.9%							
禁煙の意思なし	96	50	81								
(%)	15.9%	7.2%	14.0%								

資料:石川県成人病検診管理指導協議会における課題検討結果報告

	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度		
評価時期	6ヵ月後	6ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後		
喫煙	健診時は喫煙の者	評価実施者数	176	100	100	124	124	81	97
		禁煙継続	27	22	19	18	18	21	22
		(%)	15.3%	22.0%	19.0%	14.5%	14.5%	25.9%	22.7%
		非継続	34	9	10	23	23	7	2
	(%)	19.3%	9.0%	10.0%	18.5%	18.5%	8.6%	2.1%	
	禁煙の意思なし	115	69	71	83	83	53	73	
	(%)	65.3%	69.0%	71.0%	66.9%	66.9%	65.4%	75.3%	
	健診時は非喫煙の者	評価実施者数	217	124	134	144	144	111	133
非喫煙		211	121	130	129	129	110	131	
(%)		97.2%	97.6%	97.0%	89.6%	89.6%	99.1%	98.5%	
非継続		3	1	4	13	13	1	2	
(%)	1.4%	0.8%	3.0%	9.0%	9.0%	0.9%	1.5%		
禁煙の意思なし	3	2	0	2	2	0	0		
(%)	1.4%	1.6%	0.0%	1.4%	1.4%	0.0%	0.0%		

9) 特定保健指導(動機付け支援)の評価

【七尾市】

	H25年度	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度
評価時期	6ヵ月後	6ヵ月後	6ヵ月後	6ヵ月後	6ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後
評価実施者数	293	313	278	275	318	162	135	188	131	32
体重減少	5%Kg以上減少	16	19	18	17	14	5	6	5	2
	(%)	5.5%	6.1%	6.5%	6.2%	4.4%	3.1%	4.4%	2.7%	3.8%
	5%Kg以上の減少なし	274	270	259	258	245	151	129	183	126
	(%)	93.5%	86.3%	93.2%	93.8%	77.0%	93.2%	95.6%	97.3%	96.2%
	測定なし	3	24	1	0	59	6	0	0	0
(%)	1.0%	7.7%	0.4%	0.0%	18.6%	3.7%	0.0%	0.0%	0.0%	
腹囲減少	3cm以上減少	13	18	24	22	16	7	13	14	8
	(%)	4.4%	5.8%	8.6%	8.0%	5.0%	4.3%	9.6%	7.4%	6.1%
	3cm以上の減少なし	277	270	253	253	243	148	122	174	123
	(%)	94.5%	86.3%	91.0%	92.0%	76.4%	91.4%	90.4%	92.6%	93.9%
	測定なし	3	24	1	0	59	7	0	0	0
(%)	1.0%	7.7%	0.4%	0.0%	18.6%	4.3%	0.0%	0.0%	0.0%	
栄養・食生活	変化なし	168	182	199	187	156	120	95	124	88
	(%)	57.3%	58.1%	71.6%	68.0%	49.1%	74.1%	70.4%	66.0%	67.2%
	改善	116	92	75	83	93	40	38	62	41
	(%)	39.6%	29.4%	27.0%	30.2%	29.2%	24.7%	28.1%	33.0%	31.3%
悪化	8	7	4	5	9	2	2	2	2	
(%)	2.7%	2.2%	1.4%	1.8%	2.8%	1.2%	1.5%	1.1%	1.5%	
身体活動	変化なし	229	210	235	236	211	137	122	153	110
	(%)	78.2%	67.1%	84.5%	85.8%	66.4%	84.6%	90.4%	81.4%	84.0%
	改善	45	62	38	34	40	21	9	34	19
	(%)	15.4%	19.8%	13.7%	12.4%	12.6%	13.0%	6.7%	18.1%	14.5%
悪化	18	9	5	5	7	4	4	1	2	
(%)	6.1%	2.9%	1.8%	1.8%	2.2%	2.5%	3.0%	0.5%	1.5%	
喫煙	禁煙継続	5	0	4						
	(%)	1.7%	0.0%	1.4%						
	非継続	0	13	1						
	(%)	0.0%	4.2%	0.4%						
	非喫煙	0	160	8						
	(%)	0.0%	51.1%	2.9%						
禁煙の意思なし	9	13	10							
(%)	3.1%	4.2%	3.6%							

* 保険者が社会保険診療報酬支払い基金を通じて国へ提出する報告書に基づく結果より

資料: 石川県成人病検診管理指導協議会における課題検討結果報告

	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度		
評価時期	6ヵ月後	6ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後		
喫煙	健診時は喫煙の者	評価実施者数	13	16	10	6	6	1	2
		禁煙継続	1	5	1	1	1	0	1
		(%)	7.7%	31.3%	10.0%	16.7%	16.7%	0.0%	50.0%
	健診時は非喫煙の者	非継続	1	0	0	0	0	0	0
		(%)	7.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
		禁煙の意思なし	11	11	9	5	5	1	1
(%)	84.6%	68.8%	90.0%	83.3%	83.3%	100.0%	50.0%		
喫煙	健診時は喫煙の者	評価実施者数	16	29	34	12	12	0	8
		非喫煙	15	29	34	12	12	0	8
		(%)	93.8%	100.0%	100.0%	100.0%	100.0%	0.0%	0.0%
	健診時は非喫煙の者	非継続	0	0	0	0	0	0	0
		(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
		禁煙の意思なし	1	0	0	0	0	0	0
(%)	6.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		

9) 特定保健指導(動機付け支援)の評価

【石川県】

	H25年度	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	
評価時期	6ヵ月後	6ヵ月後	6ヵ月後	6ヵ月後	6ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	
評価実施者数	3,154	3,680	3,604	3,542	3,618	3,413	3,087	2,400	2,438	2,203	
体重減少	5%Kg以上減少	269	271	290	236	188	209	168	134	153	135
	(%)	8.5%	7.4%	8.0%	6.7%	5.2%	6.1%	5.4%	5.6%	6.3%	6.1%
	5%Kg以上の減少なし	2,802	2,782	2,939	2,783	2,523	3,193	2,910	2,264	2,285	2,068
	(%)	88.8%	75.6%	81.5%	78.6%	69.7%	93.6%	94.3%	94.3%	93.7%	93.9%
	測定なし	83	627	375	523	907	11	9	2	0	0
	(%)	2.6%	17.0%	10.4%	14.8%	25.1%	0.3%	0.3%	0.1%	0.0%	0.0%
腹囲減少	3cm以上減少	469	492	511	485	333	446	372	349	319	285
	(%)	14.9%	13.4%	14.2%	13.7%	9.2%	13.1%	12.1%	14.5%	13.1%	12.9%
	3cm以上の減少なし	2,516	2,507	2,706	2,519	2,371	2,955	2,710	2,050	2,119	1,917
	(%)	79.8%	68.1%	75.1%	71.1%	65.5%	86.6%	87.8%	85.4%	86.9%	87.1%
	測定なし	169	680	387	538	914	12	5	1	0	0
	(%)	5.4%	18.5%	10.7%	15.2%	25.3%	0.4%	0.2%	0.0%	0.0%	0.0%
栄養・食生活	変化なし	1,541	2,231	1,920	1,954	1,755	1,871	1,739	1,390	1,360	1,227
	(%)	48.9%	60.6%	53.3%	55.2%	48.5%	54.8%	56.3%	57.9%	55.8%	55.7%
	改善	1,506	1,120	1,553	1,406	1,218	1,472	1,271	972	1,028	944
	(%)	47.7%	30.4%	43.1%	39.7%	33.7%	43.1%	41.2%	40.5%	42.2%	42.9%
悪化	85	58	80	169	70	57	77	38	50	32	
(%)	2.7%	1.6%	2.2%	4.8%	1.9%	1.7%	2.5%	1.6%	2.1%	1.5%	
身体活動	変化なし	1,987	1,415	2,343	2,390	2,058	2,197	1,992	1,504	1,585	1,384
	(%)	63.0%	38.5%	65.0%	67.5%	56.9%	64.4%	64.5%	62.7%	65.0%	62.8%
	改善	1,044	1,914	1,093	997	893	1,107	923	805	749	760
	(%)	33.1%	52.0%	30.3%	28.1%	24.7%	32.4%	29.9%	33.5%	30.7%	34.5%
悪化	117	79	117	142	92	96	172	91	104	59	
(%)	3.7%	2.1%	3.2%	4.0%	2.5%	2.8%	5.6%	3.8%	4.3%	2.7%	
喫煙	禁煙継続	161	142	145							
	(%)	5.1%	3.9%	4.0%							
	非継続	46	45	46							
	(%)	1.5%	1.2%	1.3%							
	非喫煙	1297	2284	1236							
	(%)	41.1%	62.1%	34.3%							
禁煙の意思なし	134	161	134								
(%)	4.2%	4.4%	3.7%								

資料: 石川県成人病検診管理指導協議会における課題検討結果報告

	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度		
評価時期	6ヵ月後	6ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後		
喫煙	健診時は喫煙の者	評価実施者数	183	148	182	185	185	133	106
		禁煙継続	36	29	33	41	41	31	31
		(%)	19.7%	19.6%	18.1%	22.2%	22.2%	23.3%	29.2%
		非継続	15	17	20	29	29	15	6
		(%)	8.2%	11.5%	11.0%	15.7%	15.7%	11.3%	5.7%
	禁煙の意思なし	132	102	129	115	115	87	69	
	(%)	72.1%	68.9%	70.9%	62.2%	62.2%	65.4%	65.1%	
	健診時は非喫煙の者	評価実施者数	1,294	1,135	1,265	1,319	1,319	1,021	903
		非喫煙	1,272	1,119	1,240	1,247	1,247	1,006	878
		(%)	98.3%	98.6%	98.0%	94.5%	94.5%	98.5%	97.2%
非継続		6	10	11	61	61	6	17	
(%)		0.5%	0.9%	0.9%	4.6%	4.6%	0.6%	1.9%	
禁煙の意思なし	16	6	14	11	11	9	8		
(%)	1.2%	0.5%	1.1%	0.8%	0.8%	0.9%	0.9%		